

UltraVent CombiDuo exhaust hood XS

The high suction power of Metos UltraVent® XS Combi-Duo hood effectively condenses steam released from the oven and filters out grease particles from the cooking air. The steam produced in the oven is conducted via the oven's steam pipe and when opening the oven door. In this case, the special filters of the UltraVent® XS Combi-Duo hood filter and break up released steam and annoying smoke produced during roasting and grilling, thereby keeping the indoor air cleaner.

The Metos UltraVent® XS Combi-Duo hood is also suitable for Combi-Duo installation, with two stacked ovens. Intended for Metos SelfCooking Center XS and Metos Combimaster Plus XS oven models.

Using the integration kit (optional extra), Metos XS and UltraVent® Plus can be retrofitted.

Metos UltraVent® XS Combi-Duo hood is an excellent alternative to complex and bulky ventilation systems, as it does not require an extraction connection, rather the waste water is conducted via the oven into the drain. In addition, the hood reduces the oven's cooling requirement, thereby also reducing water consumption.

By using the Metos UltraVent® XS Combi-Duo hood, the Metos SelfCooking Center XS and Metos Combimaster Plus XS ovens can be installed even in demanding sites, such as a restaurant's open-plan kitchen or shop service desk. This fuss-free appearance of the stainless steel hood is appealing and the even surface makes it easy to keep the appliance clean.

- Combi-Duo model (two stacked ovens)
- intended for Metos SelfCooking Center XS and Metos Combimaster Plus XS



oven models

- high blowing power
- one grease filter
- the stainless steel grease filter can be washed in the dishwasher
- no separate extraction connection needed
- automatic power increase when opening the oven door
- stainless steel structure
- intended for left-handed and right-handed ovens
- for electrical ovens
- can be retrofitted

EXTRAS (to be ordered separately)

- Integration kit UltraVent® XS oven models
- high blowing power
- one grease filter
- the stainless steel grease filter can be washed in the dishwasher
- no separate extraction connection needed
- automatic power increase when opening the oven door
- stainless steel structure
- intended for left-handed and right-handed ovens
- for electrical ovens
- can be retrofitted

EXTRAS (to be ordered separately)

- Integration kit UltraVent® XS

UltraVent CombiDuo exhaust hood XS

Item width mm	657
Item depth mm	580
Item height mm	240
Package volume	0.137
Unit of volume	m3
Package volume	0.137 m3
Package length	70
Package width	65
Package height	30
Package unit of dimension	cm
Package dimensions (LxWxH)	70x65x30 cm
Net weight	25.5
Net weight	25.5 kg
Gross weight	30
Package weight	30 kg
Unit of weight	kg
Connection power kW	0.14
Fuse Size A	6
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50