

Blast chiller/freezer cabinet

Metos MRBSR-120-SRC

Left (Remote coolingCO2)

The Metos MRBSR-120-SRC blast chilling and freezing cabinet quickly cools raw and cooked food. The food stays fresh and of high quality and, above all, clean. In professional kitchens, special attention must be paid to food safety. Our efficient blast chillers and freezers meet all HACCP requirements.

The Metos MRBSR-120-SRC is remote cooled model with 5" touch control on the door. There are ready-made programs for both chilling and freezing functions, from gentle to very efficient. In addition to these, the user can store the user's own programs. The display shows the temperature and monitors the progress of the program. The appliance automatically switches to storage mode at the end of the quick cooling process. Inner and outer lining in easy-to-clean stainless steel. Rounded corners and a bottom plug make cleaning easier.



- suitable for Rational oven trolleys only, no guide rail is included
- 5" touch control on the door, ergonomic
- save up to 99 programs with the core probe or time
- multi-step rack allows to place the GN1/1 pans and baking trays at different heights
- internal dimensions 483x730x880mm
- core probe is easy to be replaced by rotating a ring nut
- S/S condenser filter is easy to extract and clean, dishwasher safe
- remote cooling
- stainless steel outside and inside internal coating with fully rounded corners
- Die-moulded and leakproof internal base
- Full-length flush ergonomic handle
- HCFC-free high-density polyurethane foam insulation (approx. 42kg/m³)
- Pre-cooling

function

- Heating element situated on the door frame
- Magnetic seal on 4 sides of the door
- Left hinged door, which is not reversible
- Highly ventilated evaporator to ensure the cooling system's maximum efficiency
- USB connection for uploading new firmware release and downloading HACCP data
- chilling capacity 65kg/ +90...+3°C/90min, freezing capacity 45kg/+ 90...-18°C/240min
- stated capacities kg/h are nominal, and cannot be achieved with all food products and circumstances function
- Heating element situated on the door frame
- Magnetic seal on 4 sides of the door
- Left hinged door, which is not reversible
- Highly ventilated evaporator to ensure the cooling system's maximum efficiency
- USB connection for uploading new firmware release and downloading HACCP data
- chilling capacity 65kg/ +90...+3°C/90min, freezing capacity 45kg/+ 90...-18°C/240min
- stated capacities kg/h are nominal, and cannot be achieved with all food products and circumstances

Blast chiller/freezer cabinet Metos MRBSR-120-SRC Left (Remote coolingCO2)

Product capacity	65kg/45kg/+90...+3/-18
Item width mm	850
Item depth mm	870
Item height mm	1860
Package volume	1.852
Unit of volume	m3
Package volume	1.852 m3
Package length	95
Package width	97
Package height	201
Package unit of dimension	cm
Package dimensions (LxWxH)	95x97x201 cm
Net weight	160
Net weight	160 kg
Gross weight	200
Package weight	200 kg
Unit of weight	kg
Connection power kW	0.1994
Fuse Size A	10
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	IPX4
Type of electrical connection	Semifixed
Cooling capacity W	2274
Condensing temperature °C	+45
Evaporation temperature °C	-25
Type of the refrigerant	R744 (CO2)
Remarks (refrigeration)	remote cooling

Blast chiller/freezer cabinet Metos MRBSR-120-SRC Left (Remote coolingCO2)

Sound level dB

70

Cooling unit

Remote cooled