

# Potwasher Master KP402E PLUS \*new

Potwasher with a door. 5" TFT touch display with your logo and with a new graphic

- four programmes (customizable)
- two 2,7 kW wash pumps
- innovative drain system - motorized valve for an automatic drain
- independent surface filter and collection basket
- disharms: upper, lower and on sides
- rack dimensions 1350x725 mm
- free opening height 810 mm
- tank volume 148 l



## Potwasher Master KP402E PLUS \*new

Inside measures mm	1350x725x820
Item width mm	1490
Item depth mm	885
Item height mm	1970/(2310)
Package volume	2.8
Unit of volume	m3
Package volume	2.8 m3
Package length	140
Package width	100
Package height	200
Package unit of dimension	cm
Package dimensions (LxWxH)	140x100x200 cm
Net weight	320
Net weight	320 kg
Gross weight	348
Package weight	348 kg
Unit of weight	kg
Connection power kW	15
Fuse Size A	25
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Electrical conn. height mm	150
Hot water diam.	3/4"
Hot water flow l/min	10
Hot water conn. height mm	150
Drain diameter	32
Drain flow l/s	3

## Potwasher Master KP402E PLUS \*new

Drain conn. height mm	150
Sound level dB	72
Boiler power kW	9
Boiler volume L	20
Power type	electric
Operation type	electronical
Cleaning	washing program
Washing basket size mm	1350x725
Programmability	ready programs
Amount of programs	4
Insulation	insulated
Method of washing	pot wash
Drain pump	No