

Glass door cooler Metos Maxiglass MG3/275G with two doors

The Metos Maxiglass MG3/275G glass door cooler is mainly designed to display bottled drinks and beverage containers in an aesthetically pleasing manner as well as the preservation of various drinks at a suitable temperature. Enhanced technology and unit components make the cooler more energy efficient and therefore more environmentally friendly without having to make any compromises in the appearance of the unit or its cooling capacity.

The cooler has a capacity of 275 litres and holds 322 0.33 l bottles. Effective and energy-efficient fans ensure the uniform and quick circulation of cold air in the entire cooler. Refrigerant R600a used is environmentally friendly. Cooler temperature can be adjusted between +2 °C...+18 °C (factory setting +6 °C). Temperature regulation and indicator are located on the exterior surface of the cooler. The glass door frame are anthracite; the exterior of the unit is comprised of an anthracite and steel lining.

The Metos Maxiglass MG3/275G glass door cooler has two adjustable flat shelves. LED lighting provides bright and uniform lighting and temptingly accentuates the drinks. The lighting has a separate switch. When the lighting is switched off, the cooler will continue to be cooled.

Smooth surfaces and removable flat shelves and shelf carriers simplify the cleaning of the unit. The cooler has rapid automated defrost function, featuring evaporation of defrost water. The door has a lock and can be opened easily, handle along the length of the door.

- two glass doors
- capacity 322/0.33 I (Ø60 mm)



bottles

- volume 275 litres
- the temperature can be regulated between +2°C...+18°C
- two adjustable flat shelves
- door lock
- LED-lighting
- door frame are anthracite, the exterior is comprised of an anthracite and steel lining
- replaceable door seals
- automated defrost and defrost water evaporation
- refrigerant R600a

SUPPLIED SET INCLUDES:

- two flat shelves bottles
- volume 275 litres
- the temperature can be regulated between +2°C...+18°C
- two adjustable flat shelves
- door lock
- LED-lighting
- door frame are anthracite, the exterior is comprised of an anthracite and steel lining
- replaceable door seals
- automated defrost and defrost water evaporation
- refrigerant R600a

SUPPLIED SET INCLUDES:

- two flat shelves



Glass door cooler Metos Maxiglass MG3/275G with two doors

Product capacity	322x33 cl btl, net 275 L
Item width mm	1200
Item depth mm	576
Item height mm	900/910
Package volume	0.806
Unit of volume	m3
Package volume	0.806 m3
Package length	61.4
Package width	101
Package height	130
Package unit of dimension	cm
Package dimensions (LxWxH)	61.4x101x130 cm
Net weight	95
Net weight	95 kg
Gross weight	100
Package weight	100 kg
. s.s.ta.gs .r.s.g.tt	100 kg
Unit of weight	kg
Unit of weight	kg
Unit of weight Connection power kW	kg 0.185
Unit of weight Connection power kW Fuse Size A	kg 0.185 6
Unit of weight Connection power kW Fuse Size A Connection voltage V	kg 0.185 6 230
Unit of weight Connection power kW Fuse Size A Connection voltage V Number of phases	kg 0.185 6 230 1NPE
Unit of weight Connection power kW Fuse Size A Connection voltage V Number of phases Frequency Hz	kg 0.185 6 230 1NPE 50/60
Unit of weight Connection power kW Fuse Size A Connection voltage V Number of phases Frequency Hz Protection rating (IP)	kg 0.185 6 230 1NPE 50/60