

# Griddle chromium/grooved

## Metos Diamante

### D74/10TSFTECR table t

The Metos Diamante 70 D74/10TSFTECR electric table top model grill has grooves, with a polished chrome plated surface. The grill has two cooking zones, the temperature of which can be regulated between 110 °C...280 °C. The control panel has an indicator light, which illuminates when the grill zone is switched on. The grill surface is welded to the exterior of the unit and is recessed by 40 mm, which provides a greater cooking surface and prevents dirt from collecting between the exterior and the surface of the grill. In addition, the grill surface can be inclined 10 mm to the front, which allows grease to flow into the large grease trap.



Every detail of the strong, stylish and hygienic restaurant range series Metos Diamante 70 has been planned as an efficient and functioning solution, from pre-treatment to the preparation of the food itself, without forgetting the need to easily clean the range. Diamante 70 series ranges are available as a table top model as well as with its own cupboard, as single or multiple combined units, and are suitable for use in small to mid-sized to large kitchens. Laser cut hobs allow for the seamless joining together of units into cleanly connected islands or lines in places of heavy use, such as large kitchens.

- table top model
- with grooves
- polished chrome plated surface
- two cooking zones
- large splash proof control knobs
- overheating protection

EXTRA ACCESSORIES (can be ordered separately):

- splash guard;
- open cupboard;
- legs with guide rails;
- cupboard

doors;

- cupboard doors for utensil frames;
- utensil frames; knife rack, utensil rack, spice rack frame, spice jar rack;
- drawer for cupboard;
- cupboard with a heated bottom;
- socket;
- side panels; doors;
- cupboard doors for utensil frames;
- utensil frames; knife rack, utensil rack, spice rack frame, spice jar rack;
- drawer for cupboard;
- cupboard with a heated bottom;
- socket;
- side panels;

## Griddle chromium/grooved Metos Diamante D74/10TSFTECR table t

|                            |             |
|----------------------------|-------------|
| Item width mm              | 800         |
| Item depth mm              | 730         |
| Item height mm             | 250         |
| Package volume             | 0.204       |
| Unit of volume             | m3          |
| Package volume             | 0.204 m3    |
| Package length             | 85          |
| Package width              | 80          |
| Package height             | 30          |
| Package unit of dimension  | cm          |
| Package dimensions (LxWxH) | 85x80x30 cm |
| Net weight                 | 81          |
| Net weight                 | 81 kg       |
| Gross weight               | 91          |
| Package weight             | 91 kg       |
| Unit of weight             | kg          |
| Connection power kW        | 10.8        |
| Connection voltage V       | 400         |
| Number of phases           | 3NPE        |
| Frequency Hz               | 50/60       |
| Model                      | Diamante    |