

Esipesusuihku Metos TM3034 pöytäkiin., vipu


Pöytäkiinnitteinen esipesusuihku. Suihku käynnistyy suihkupistoolin kahvasta painamalla, jousipalautus

- pitkävartisella vivulla varustettu sekoittaja
- sulkuventtiili
- juoksuputki
- asennussarja




Esipesusuihku Metos TM3034 pöytäkiin., vipu

Pakkauksen tilavuus	0,024
Tilavuuden yksikkö	m ³
Pakkauksen tilavuus	0,024 m ³
Pakkauksen leveys	74
Pakkauksen syvyys	23
Pakkauksen korkeus	14
Pakkausmitan yksikkö	cm
Pakkauksen mitat (LxSxK)	74x23x14 cm
Nettopaino	8
Nettopaino	8 kg
Bruttopaino	10
Pakkauksen paino	10 kg
Painon yksikkö	kg
Kylmävesiliitännän halkaisija	1/2"
Kylmävesivirtaama l/min.	35
Minimipaine kylmä vesi kPa	300
Lämminvesiliitännän halkaisija	1/2"



Mounting holes recommended diameter = 23 mm.

REVISION:	1.0
LAST REVIEW:	20081219
VALIDITY:	---
DRAWING No.	---
Source Drawing:	2019



KLARCO

SRL

Via Masieres 7
33080 SAN QUIRINO(PN)-ITALY
Tel. +39-0434-919422
Fax +39-0434-919494

DESCRIPTION:
Heavy-duty Bench-mount Pre-Rinse Unit

MOD.
Custom

Product Code
2E.3034.bK.71/C48

Former Product Code: ---

Complete and/or partial reproduction of this document is strictly prohibited without the express written consent of KLARCO s.r.l. - All contents Copyright (c) 2008 KLARCO s.r.l. - All rights reserved