

Hand shower bratt pann Metos Futura HD

Factory installation



Hand shower bratt pann Metos Futura HD

Item width mm	300
Item depth mm	380
Item height mm	210
Package volume	0.01
Unit of volume	m3
Package volume	0.01 m3
Package length	0
Package width	0
Package height	0
Package unit of dimension	cm
Package dimensions (LxWxH)	0x0x0 cm
Net weight	0.01
Net weight	0.01 kg
Gross weight	0.01
Package weight	0.01 kg
Unit of weight	kg
Cold water min pressure kPa	20
Cold water max pressure kPa	800
Remarks (cold water)	G1/2

Hand shower bratt pann Metos Futura HD

Product capacity	200 litres
Item width mm	1858
Item depth mm	948
Item height mm	1786
Package volume	3.04
Unit of volume	m3
Package volume	3.04 m3
Package length	190
Package width	100
Package height	160

Hand shower bratt pann Metos Futura HD

Package unit of dimension	cm
Package dimensions (LxWxH)	190x100x160 cm
Net weight	370
Net weight	370 kg
Gross weight	426
Package weight	426 kg
Unit of weight	kg
Connection power kW	41.4
Fuse Size A	63
Connection voltage V	400/230
Number of phases	3NPE
Frequency Hz	50
Startup current A	60
Protection rating (IP)	X4
Cold water diam.	3/4
Cold water min pressure kPa	20
Cold water max pressure kPa	800
HACCP-connectivity	NO
Heat load sensitive W	18630
Heat load latent W	16500
Power type	electric
Operation type	electromechanical
Cleaning	hand wash
Tilting	electric
Temperature probe	No
Oil filtering	No
Timer	No

Hand shower bratt pann Metos Futura HD

Product capacity	150 litres
Item width mm	1553

Hand shower bratt pann Metos Futura HD

Item depth mm	955
Item height mm	1559
Package volume	2.56
Unit of volume	m3
Package volume	2.56 m3
Package length	160
Package width	100
Package height	160
Package unit of dimension	cm
Package dimensions (LxWxH)	160x100x160 cm
Net weight	360
Net weight	360 kg
Gross weight	386
Package weight	386 kg
Unit of weight	kg
Connection power kW	27.6
Fuse Size A	50
Connection voltage V	400/230
Number of phases	3NPE
Frequency Hz	50
Startup current A	40
Protection rating (IP)	X4
Cold water diam.	3/4
Cold water min pressure kPa	20
Cold water max pressure kPa	800
HACCP-connectivity	NO
Heat load sensitive W	12420
Heat load latent W	11040
Power type	electric

Hand shower bratt pann Metos Futura HD

Operation type	electromechanical
Cleaning	hand wash
Top material type	stainless steel
Tilting	electric
Temperature probe	No
Oil filtering	No
Timer	No

Hand shower bratt pann Metos Futura HD

Product capacity	100 litres
Item width mm	1208
Item depth mm	955
Item height mm	1559
Package volume	2.08
Unit of volume	m3
Package volume	2.08 m3
Package length	130
Package width	100
Package height	160
Package unit of dimension	cm
Package dimensions (LxWxH)	130x100x160 cm
Net weight	280
Net weight	280 kg
Gross weight	320
Package weight	320 kg
Unit of weight	kg
Connection power kW	20.7
Fuse Size A	32
Connection voltage V	400/230
Number of phases	3NPE
Frequency Hz	50

Hand shower bratt pann Metos Futura HD

Startup current A	30
Protection rating (IP)	X4

Electrical conn. height mm	150
Cold water diam.	G3/4
Cold water min pressure kPa	20
Cold water max pressure kPa	800
Floor drain needed	Yes
Sound level dB	70
HACCP-connectivity	NO
Heat load sensitive W	9315
Heat load latent W	8280
Power type	electric
Operation type	electromechanical
Cleaning	hand wash
Tilting	electric
Temperature probe	No
Oil filtering	No
Timer	No