

Castors Metos Proff 100 mm

100mm wheels for proff cold/hot, two with brakes.. Factory installed, to be ordered with produc



Castors Metos Proff 100 mm

Package volume	0.01
Unit of volume	m ³
Package volume	0.01 m ³
Package length	0
Package width	0
Package height	0
Package dimensions (LxWxH)	0x0x0
Net weight	3
Net weight	3 kg
Gross weight	3
Package weight	3 kg
Unit of weight	kg

Castors Metos Proff 100 mm

Product capacity	appr. 130 plates
Item width mm	400
Item depth mm	650
Item height mm	900
Package volume	0.347
Unit of volume	m ³
Package volume	0.347 m ³
Package length	45
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	45x70x110 cm
Net weight	45
Net weight	45 kg
Gross weight	50
Package weight	50 kg
Unit of weight	kg

Castors Metos Proff 100 mm

Connection power kW	0.7
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.1
Protection rating (IP)	20
Type of electrical connection	Plug
Function	warm
Power range kW	0.7
Lighting	without lighting

Castors Metos Proff 100 mm

Product capacity	appr. 65 plates
Item width mm	400
Item depth mm	650
Item height mm	900
Package volume	0.347
Unit of volume	m ³
Package volume	0.347 m ³
Package length	45
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	45x70x110 cm
Net weight	45
Net weight	45 kg
Gross weight	50
Package weight	50 kg
Unit of weight	kg
Connection power kW	0.7

Castors Metos Proff 100 mm

Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.1
Protection rating (IP)	20
Type of electrical connection	Plug
Function	warm
Power range kW	0.7
Lighting	without lighting

Castors Metos Proff 100 mm

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m ³
Package volume	0.655 m ³
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	75
Net weight	75 kg
Gross weight	80
Package weight	80 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16

Castors Metos Proff 100 mm

Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 - 210
Number of chambers	2
Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	3xGN1/1-210 + 9XGN1/1-100
Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	0.963
Unit of volume	m3
Package volume	0.963 m3
Package length	125
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	125x70x110 cm
Net weight	85
Net weight	85 kg

Castors Metos Proff 100 mm

Gross weight	93
Package weight	93 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	9.5
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	3xGN1/1-210 + 9XGN1/1-100
Number of chambers	3
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3
Package length	165
Package width	70
Package height	110

Castors Metos Proff 100 mm

Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm

Net weight	85
Net weight	85 kg
Gross weight	105
Package weight	105 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1 210 mm + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900+405
Package volume	0.893

Castors Metos Proff 100 mm

Unit of volume	m3
Package volume	0.893 m3
Package length	85
Package width	70

Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x150 cm
Net weight	76.42
Net weight	76.42 kg
Gross weight	76.42
Package weight	76.42 kg
Unit of weight	kg
Connection power kW	1.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	7.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100
Number of chambers	2
Power range kW	1.8
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	3xGN1/1-210 + 9XGN1/1-100
------------------	---------------------------

Castors Metos Proff 100 mm

Item width mm	1200
Item depth mm	650
Item height mm	900+405
Package volume	1.313
Unit of volume	m3

Package volume	1.313 m3
Package length	125
Package width	70
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	125x70x150 cm
Net weight	110.28
Net weight	110.28 kg
Gross weight	110.28
Package weight	110.28 kg
Unit of weight	kg
Connection power kW	2.9
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	3xGN1/1-210 + 9XGN1/1-100
Number of chambers	3
Power range kW	2.9

Castors Metos Proff 100 mm

Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650

Item height mm	900
Package volume	0.655
Unit of volume	m ³
Package volume	0.655 m ³
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	80
Net weight	80 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug

Castors Metos Proff 100 mm

Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100
Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	3xGN1/1-210 + 9XGN1/1-100
------------------	---------------------------

Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	0.963
Unit of volume	m3
Package volume	0.963 m3
Package length	125
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	125x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	105
Package weight	105 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE

Castors Metos Proff 100 mm

Frequency Hz	50/60
Startup current A	9.8
Protection rating (IP)	43
Type of electrical connection	Plug
Function	warm
GN size	3xGN1/1-210 + 9XGN1/1-100
Power range kW	2.2
Lighting	without lighting
Type of display	with doors
Upper part	without upper part
Model	Proff
Amount of cabinets	3

Stowage	shelves
---------	---------

Castors Metos Proff 100 mm

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3
Package length	165
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	115
Package weight	115 kg
Unit of weight	kg

Castors Metos Proff 100 mm

Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	4x1/1 + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting

Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	GN1/1-200 bain marie
Item width mm	400
Item depth mm	650
Item height mm	900
Package volume	0.234
Unit of volume	m3
Package volume	0.234 m3
Package length	40
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	40x65x90 cm

Castors Metos Proff 100 mm

Net weight	40
Net weight	40 kg
Gross weight	40
Package weight	40 kg
Unit of weight	kg
Connection power kW	0.55
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	2.4
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-200

Power range kW	0.55
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	GN2/1-200 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.505
Unit of volume	m3
Package volume	0.505 m3
Package length	82

Castors Metos Proff 100 mm

Package width	67
Package height	92
Package unit of dimension	cm
Package dimensions (LxWxH)	82x67x92 cm
Net weight	46
Net weight	46 kg
Gross weight	65
Package weight	65 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug

Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 210 mm
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	0.965

Castors Metos Proff 100 mm

Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	100
Net weight	100 kg
Gross weight	100
Package weight	100 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	9.6
Protection rating (IP)	43

Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	2 X GN1/1-150 bain marie
------------------	--------------------------

Castors Metos Proff 100 mm

Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.468
Unit of volume	m3
Package volume	0.468 m3
Package length	80
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	80x65x90 cm
Net weight	70
Net weight	70 kg
Gross weight	70
Package weight	70 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60

Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2 X GN1/1-150
Power range kW	1.1
Lighting	without lighting

Castors Metos Proff 100 mm

Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Product capacity	3 X GN1/1-150 bain marie
Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	0.702
Unit of volume	m3
Package volume	0.702 m3
Package length	120
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	120x65x90 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	1.65
Fuse Size A	16

Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	7.2
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical

Castors Metos Proff 100 mm

Cleaning	hand wash
GN size	3 X GN1/1-150
Power range kW	1.65
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Castors Metos Proff 100 mm

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	60
Net weight	60 kg
Gross weight	67
Package weight	67 kg
Unit of weight	kg
Connection power kW	2.2

Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	10

Castors Metos Proff 100 mm

Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No