

# Upper shelf Metos Proff2 US-1200-1L

Construction and upper shelf of stainless steel. Width of upper shelf 280 mm

- one-sided sneeze guard of tempered glass
- LED light



## Upper shelf Metos Proff2 US-1200-1L

|                               |              |
|-------------------------------|--------------|
| Item width mm                 | 1200         |
| Item depth mm                 | 507          |
| Item height mm                | 405          |
| Package volume                | 0.336        |
| Unit of volume                | m3           |
| Package volume                | 0.336 m3     |
| Package length                | 122          |
| Package width                 | 52           |
| Package height                | 53           |
| Package unit of dimension     | cm           |
| Package dimensions (LxWxH)    | 122x52x53 cm |
| Net weight                    | 15           |
| Net weight                    | 15 kg        |
| Gross weight                  | 15           |
| Package weight                | 15 kg        |
| Unit of weight                | kg           |
| Connection power kW           | 0.03         |
| Fuse Size A                   | 16           |
| Connection voltage V          | 230          |
| Number of phases              | 1NPE         |
| Frequency Hz                  | 50           |
| Startup current A             | 1.3          |
| Protection rating (IP)        | 43           |
| Type of electrical connection | Semifixed    |

## Upper shelf Metos Proff2 US-1200-1L

|                  |                               |
|------------------|-------------------------------|
| Product capacity | 1200x650mm plane+13 GN1/1-100 |
| Item width mm    | 1200                          |
| Item depth mm    | 650                           |
| Item height mm   | 900                           |
| Package volume   | 1.031                         |

## Upper shelf Metos Proff2 US-1200-1L

|                               |                   |
|-------------------------------|-------------------|
| Unit of volume                | m3                |
| Package volume                | 1.031 m3          |
| Package length                | 125               |
| Package width                 | 75                |
| Package height                | 110               |
| Package unit of dimension     | cm                |
| Package dimensions (LxWxH)    | 125x75x110 cm     |
| Net weight                    | 95                |
| Net weight                    | 95 kg             |
| Gross weight                  | 95                |
| Package weight                | 95 kg             |
| Unit of weight                | kg                |
| Connection power kW           | 0.6               |
| Fuse Size A                   | 16                |
| Connection voltage V          | 230               |
| Number of phases              | 1NPE              |
| Frequency Hz                  | 50/60             |
| Startup current A             | 2.7               |
| Protection rating (IP)        | 43                |
| Type of electrical connection | Plug              |
| Operation type                | electromechanical |
| Cleaning                      | hand wash         |
| GN size                       | 13 GN1/1-100      |
| Number of chambers            | 3                 |
| Power range kW                | 0.6               |
| Lighting                      | without lighting  |
| Fill in trolleys              | No                |
| Humidification                | No                |
| Timer                         | No                |

## Upper shelf Metos Proff2 US-1200-1L

### Upper shelf Metos Proff2 US-1200-1L

|                               |                               |
|-------------------------------|-------------------------------|
| Product capacity              | 1200x650mm plane+13 GN1/1-100 |
| Item width mm                 | 1200                          |
| Item depth mm                 | 650                           |
| Item height mm                | 900                           |
| Package volume                | 1.073                         |
| Unit of volume                | m3                            |
| Package volume                | 1.073 m3                      |
| Package length                | 130                           |
| Package width                 | 75                            |
| Package height                | 110                           |
| Package unit of dimension     | cm                            |
| Package dimensions (LxWxH)    | 130x75x110 cm                 |
| Net weight                    | 95                            |
| Net weight                    | 95 kg                         |
| Gross weight                  | 95                            |
| Package weight                | 95 kg                         |
| Unit of weight                | kg                            |
| Connection power kW           | 1.4                           |
| Fuse Size A                   | 16                            |
| Connection voltage V          | 230                           |
| Number of phases              | 1NPE                          |
| Frequency Hz                  | 50/60                         |
| Startup current A             | 6.3                           |
| Protection rating (IP)        | 43                            |
| Type of electrical connection | Plug                          |
| Operation type                | electromechanical             |
| Cleaning                      | hand wash                     |
| GN size                       | 13 GN1/1-100                  |
| Number of chambers            | 3                             |

## Upper shelf Metos Proff2 US-1200-1L

|                  |                  |
|------------------|------------------|
| Power range kW   | 1.4              |
| Lighting         | without lighting |
| Fill in trolleys | No               |
| Humidification   | No               |
| Timer            | No               |

## Upper shelf Metos Proff2 US-1200-1L

|                            |                               |
|----------------------------|-------------------------------|
| Product capacity           | 1200x650mm plane+13 GN1/1-100 |
| Item width mm              | 1200                          |
| Item depth mm              | 650                           |
| Item height mm             | 900                           |
| Package volume             | 1.031                         |
| Unit of volume             | m3                            |
| Package volume             | 1.031 m3                      |
| Package length             | 125                           |
| Package width              | 75                            |
| Package height             | 110                           |
| Package unit of dimension  | cm                            |
| Package dimensions (LxWxH) | 125x75x110 cm                 |
| Net weight                 | 95                            |
| Net weight                 | 95 kg                         |
| Gross weight               | 95                            |
| Package weight             | 95 kg                         |
| Unit of weight             | kg                            |
| Connection power kW        | 1.4                           |
| Fuse Size A                | 16                            |
| Connection voltage V       | 230                           |
| Number of phases           | 1NPE                          |
| Frequency Hz               | 50/60                         |
| Startup current A          | 6.1                           |
| Protection rating (IP)     | 43                            |

## Upper shelf Metos Proff2 US-1200-1L

|                               |           |
|-------------------------------|-----------|
| Type of electrical connection | Plug      |
| Cleaning                      | hand wash |

|                    |                  |
|--------------------|------------------|
| GN size            | 13 GN1/1-100     |
| Number of chambers | 3                |
| Power range kW     | 1.4              |
| Lighting           | without lighting |
| Fill in trolleys   | No               |
| Humidification     | No               |
| Timer              | No               |

## Upper shelf Metos Proff2 US-1200-1L

|                            |               |
|----------------------------|---------------|
| Item width mm              | 1200          |
| Item depth mm              | 650           |
| Item height mm             | 900           |
| Package volume             | 1.031         |
| Unit of volume             | m3            |
| Package volume             | 1.031 m3      |
| Package length             | 125           |
| Package width              | 75            |
| Package height             | 110           |
| Package unit of dimension  | cm            |
| Package dimensions (LxWxH) | 125x75x110 cm |
| Net weight                 | 95            |
| Net weight                 | 95 kg         |
| Gross weight               | 119           |
| Package weight             | 119 kg        |
| Unit of weight             | kg            |
| Connection power kW        | 1.4           |
| Fuse Size A                | 16            |
| Connection voltage V       | 230           |
| Number of phases           | 1NPE          |

## Upper shelf Metos Proff2 US-1200-1L

|                               |      |
|-------------------------------|------|
| Frequency Hz                  | 50   |
| Startup current A             | 6.3  |
| Protection rating (IP)        | 43   |
| Type of electrical connection | Plug |

|                   |                   |
|-------------------|-------------------|
| Operation type    | electromechanical |
| Cleaning          | hand wash         |
| GN size           | 8                 |
| Power range kW    | 1.4               |
| Lighting          | without lighting  |
| Amount of drawers | 8                 |
| Fill in trolleys  | No                |
| Humidification    | No                |
| Timer             | No                |

## Upper shelf Metos Proff2 US-1200-1L

|                            |               |
|----------------------------|---------------|
| Item width mm              | 1200          |
| Item depth mm              | 650           |
| Item height mm             | 900           |
| Package volume             | 1.031         |
| Unit of volume             | m3            |
| Package volume             | 1.031 m3      |
| Package length             | 125           |
| Package width              | 75            |
| Package height             | 110           |
| Package unit of dimension  | cm            |
| Package dimensions (LxWxH) | 125x75x110 cm |
| Net weight                 | 95            |
| Net weight                 | 95 kg         |
| Gross weight               | 95            |
| Package weight             | 95 kg         |
| Unit of weight             | kg            |

## Upper shelf Metos Proff2 US-1200-1L

|                      |       |
|----------------------|-------|
| Connection power kW  | 0.6   |
| Fuse Size A          | 16    |
| Connection voltage V | 230   |
| Number of phases     | 1NPE  |
| Frequency Hz         | 50/60 |

|                               |                  |
|-------------------------------|------------------|
| Startup current A             | 2.7              |
| Protection rating (IP)        | 43               |
| Type of electrical connection | Plug             |
| Cleaning                      | hand wash        |
| Number of chambers            | 8                |
| Power range kW                | 0.6              |
| Lighting                      | without lighting |
| Fill in trolleys              | No               |
| Humidification                | No               |
| Timer                         | No               |

## Upper shelf Metos Proff2 US-1200-1L

|                            |                           |
|----------------------------|---------------------------|
| Product capacity           | 3xGN1/1-210 + 9XGN1/1-100 |
| Item width mm              | 1200                      |
| Item depth mm              | 650                       |
| Item height mm             | 900                       |
| Package volume             | 0.963                     |
| Unit of volume             | m3                        |
| Package volume             | 0.963 m3                  |
| Package length             | 125                       |
| Package width              | 70                        |
| Package height             | 110                       |
| Package unit of dimension  | cm                        |
| Package dimensions (LxWxH) | 125x70x110 cm             |
| Net weight                 | 85                        |
| Net weight                 | 85 kg                     |

## Upper shelf Metos Proff2 US-1200-1L

|                      |       |
|----------------------|-------|
| Gross weight         | 93    |
| Package weight       | 93 kg |
| Unit of weight       | kg    |
| Connection power kW  | 2.2   |
| Fuse Size A          | 16    |
| Connection voltage V | 230   |
| Number of phases     | 1NPE  |



|                               |                           |
|-------------------------------|---------------------------|
| Frequency Hz                  | 50/60                     |
| Startup current A             | 9.5                       |
| Protection rating (IP)        | 43                        |
| Type of electrical connection | Plug                      |
| Operation type                | electromechanical         |
| Cleaning                      | hand wash                 |
| GN size                       | 3xGN1/1-210 + 9XGN1/1-100 |
| Number of chambers            | 3                         |
| Power range kW                | 2.2                       |
| Lighting                      | without lighting          |
| Fill in trolleys              | No                        |
| Humidification                | No                        |
| Timer                         | No                        |

## Upper shelf Metos Proff2 US-1200-1L

|                  |                           |
|------------------|---------------------------|
| Product capacity | 3xGN1/1-210 + 9XGN1/1-100 |
| Item width mm    | 1200                      |
| Item depth mm    | 650                       |
| Item height mm   | 900                       |
| Package volume   | 0.963                     |
| Unit of volume   | m3                        |
| Package volume   | 0.963 m3                  |
| Package length   | 125                       |
| Package width    | 70                        |

## Upper shelf Metos Proff2 US-1200-1L

|                            |               |
|----------------------------|---------------|
| Package height             | 110           |
| Package unit of dimension  | cm            |
| Package dimensions (LxWxH) | 125x70x110 cm |
| Net weight                 | 95            |
| Net weight                 | 95 kg         |
| Gross weight               | 105           |
| Package weight             | 105 kg        |
| Unit of weight             | kg            |
| Connection power kW        | 2.2           |

|                               |                           |
|-------------------------------|---------------------------|
| Fuse Size A                   | 16                        |
| Connection voltage V          | 230                       |
| Number of phases              | 1NPE                      |
| Frequency Hz                  | 50/60                     |
| Startup current A             | 9.8                       |
| Protection rating (IP)        | 43                        |
| Type of electrical connection | Plug                      |
| Function                      | warm                      |
| GN size                       | 3xGN1/1-210 + 9XGN1/1-100 |
| Power range kW                | 2.2                       |
| Lighting                      | without lighting          |
| Type of display               | with doors                |
| Upper part                    | without upper part        |
| Model                         | Proff                     |
| Amount of cabinets            | 3                         |
| Stowage                       | shelves                   |

## Upper shelf Metos Proff2 US-1200-1L

|                  |                          |
|------------------|--------------------------|
| Product capacity | 3 X GN1/1-150 bain marie |
| Item width mm    | 1200                     |
| Item depth mm    | 650                      |
| Item height mm   | 900                      |

## Upper shelf Metos Proff2 US-1200-1L

|                            |              |
|----------------------------|--------------|
| Package volume             | 0.702        |
| Unit of volume             | m3           |
| Package volume             | 0.702 m3     |
| Package length             | 120          |
| Package width              | 65           |
| Package height             | 90           |
| Package unit of dimension  | cm           |
| Package dimensions (LxWxH) | 120x65x90 cm |
| Net weight                 | 85           |
| Net weight                 | 85 kg        |

|                               |                   |
|-------------------------------|-------------------|
| Gross weight                  | 85                |
| Package weight                | 85 kg             |
| Unit of weight                | kg                |
| Connection power kW           | 1.65              |
| Fuse Size A                   | 16                |
| Connection voltage V          | 230               |
| Number of phases              | 1NPE              |
| Frequency Hz                  | 50/60             |
| Startup current A             | 7.2               |
| Protection rating (IP)        | 43                |
| Type of electrical connection | Plug              |
| Operation type                | electromechanical |
| Cleaning                      | hand wash         |
| GN size                       | 3 X GN1/1-150     |
| Power range kW                | 1.65              |
| Lighting                      | without lighting  |
| Fill in trolleys              | No                |
| Humidification                | No                |
| Timer                         | No                |

## Upper shelf Metos Proff2 US-1200-1L