

Vertical cold display Metos Luxor Slim KP6A black

Metos Luxor Classic Slim KP6A is an elegant, innovative and adaptable vertical slim display that creates an attractive and exclusive environment for the products sold. In addition to the walls and shelves that are made of hardened glass, the barely noticeable shelf support system allows for an unobstructed view of the products inside the display.

At only 60 cm wide, the Metos Luxor Classic Slim KP6A vertical display is intended for storing confectionery products and drinks. Equipped with five (490x470 mm) glass shelves, shade adjustable LED-lights and a right hinged door, the vertical cold display creates a clear and light frame for products. The display's cold area can be set to between +2°C...+10°C. The display has a cooling system with a fan, which distributes the air evenly across the whole area.

The display's frame is covered with black (RAL 9005) silk printing. The lower part of the frame masterfully hides the wheels, enabling the easy movability of the display. The display has an automatic melting and water evaporating system.

- five glass shelves (490x470 mm), weight limit 12 kg/per shelf
- cold area +2°...+10°C
- right hinged door
- LED-lights at the corners, shade adjustable between 3000-6000K
- HACCP alarm system
- electronic control board with a digital screen
- automatic melting and water evaporating system
- black silk printed frame, hardened glass walls and shelves, stainless steel shelf support system
- the display works in an environment where the max. temperature is +30°C and the relative



humidity is 55%

Delivery includes:

- five glass shelves with support system

Optional accessories (order separately):

- extra glass shelf with support system
- bottle rack shelf for 14 bottles humidity is 55%

Delivery includes:

- five glass shelves with support system

Optional accessories (order separately):

- extra glass shelf with support system
- bottle rack shelf for 14 bottles

Vertical cold display Metos Luxor Slim KP6A black

Product capacity	324 litres
Item width mm	600
Item depth mm	645
Item height mm	1840
Package volume	1.136
Unit of volume	m3
Package volume	1.136 m3
Package length	74
Package width	76
Package height	202
Package unit of dimension	cm
Package dimensions (LxWxH)	74x76x202 cm
Net weight	175
Net weight	175 kg
Gross weight	198
Package weight	198 kg
Unit of weight	kg
Connection power kW	0.4
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Type of electrical connection	Plug
Electrical conn. height mm	50
Cooling capacity W	596
Type of the refrigerant	R290
Remarks (refrigeration)	+2°C/+10°C