

Refrigerator Metos More Eco GNC 660R G

Digital control with temperature range +2°C~+10°C. Ambient temperature +38°C

- stainless steel body, except painted galvanized back panel
- rounded inner corners, easy to clean
- evaporator top-mounted
- automatic defrost and condensate evaporation
- 60 mm polyurethane insulation
- removable grid shelves and support rail distance is 55 mm
- self closing right hinged door, lockable and reversible
- removable door seals without use of tools
- automatic interior LED light
- sturdy adjustable stainless steel feet

DELIVERY INCLUDES

- 4 pieces stainless steel grid shelves 515x515 mm
- 4 pairs of grid supports



Refrigerator Metos More Eco GNC 660R G

| | |
|-------------------------------|----------------------------|
| Product capacity | 293 litres |
| Inside measures mm | 540x520x1425 |
| Item width mm | 660 |
| Item depth mm | 750 |
| Item height mm | 2010 |
| Net volume l | 293 litres acc. to EN16825 |
| Package volume | 1.123 |
| Unit of volume | m3 |
| Package volume | 1.123 m3 |
| Package length | 69 |
| Package width | 77.5 |
| Package height | 210 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 69x77.5x210 cm |
| Net weight | 110 |
| Net weight | 110 kg |
| Gross weight | 130 |
| Package weight | 130 kg |
| Unit of weight | kg |
| Connection power kW | 0.22 |
| Fuse Size A | 10 |
| Connection voltage V | 230 |
| Number of phases | 1N |
| Frequency Hz | 50 |
| Protection rating (IP) | 20 |
| Type of electrical connection | Plug |
| Type of the refrigerant | R290 |
| Quantity of refrigerant g | 75 |
| Sound level dB | 55 |

Refrigerator Metos More Eco GNC 660R G

| | |
|---------------------|-------------------|
| Raw material | stainless steel |
| Hinge location | right |
| Temperature area °C | +2C - +10C |
| Rail distance mm | 56 |
| Number of chambers | 1 |
| Shelf size mm | 515 x 515 |
| Lighting | LED |
| Cooling unit | With cooling unit |
| Defrosting | automatic |
| Temperature probe | No |
| Fill in trolleys | No |
| Glass door | Yes |