

Multifunctional Well Metos Hot-Cold GN3/1

Completely new possibilities for the food distribution. With this well you can adapt your serving counter to changing needs.

- Bain-marie or static cooling well in just one device switchable for flush fitting.
- Adjustable temperature range; Bain-Marie +30...+110°C, Static cooling down to -5°C (ambient temp +22°C)
- Refrigerant R600a
- With drain tap
- Cut-out 1060x580 mm



Multifunctional Well Metos Hot-Cold GN3/1

Product capacity	GN3/1-100
Item width mm	1100
Item depth mm	630
Item height mm	250
Package volume	1.236
Unit of volume	m3
Package volume	1.236 m3
Package length	160
Package width	103
Package height	75
Package unit of dimension	cm
Package dimensions (LxWxH)	160x103x75 cm
Net weight	33
Net weight	33 kg
Gross weight	36
Package weight	36 kg
Unit of weight	kg
Connection power kW	2.7
Fuse Size A	16
Connection voltage V	240
Number of phases	1NPE
Frequency Hz	50/60
Type of the refrigerant	R600a
Gas diameter	3/4"
Gas conn. height mm	690
Type of gas	G30 Liquid petroleum gas
Gas pressure kPa	30
Remarks (misc.)	drop-in hole 1060x580 mm
Gas consumption kW	26.4

Multifunctional Well Metos Hot-Cold GN3/1