

# Food transport trolley

## Metos Thermobox K120

### ECO

The Metos Thermobox K120 ECO food transport trolley is a flexible solution for cold storage and transportation of cold food. The trolley's efficient compressor cooling and good air circulation in the cabinet, ensure safe and high-quality conditions for storage and transport of food. The compressor-cooled K-trolley reacts more quickly to temperature changes than the C-trolley's active cooling and is a more recommended alternative, if, for example, the door is opened repeatedly during the storage period.

The trolley is insulated with polyurethane, which expands under high pressure and unites the trolley's construction and the inner chambers into a strong and well-insulated unit. The trolley's energy-efficient insulation ensures safe and high-quality conditions for storage and transport of food.

The trolley can be used in small spaces. The trolley is easy to clean as its inside is completely made of stainless steel and has pressed GN guides without any joints. Large rubber wheels as well as bumpers and ergonomic handles around the stroller make the stroller easy to handle and light. The robust door can be opened comfortably by pulling the handle, which is integrated in the frame. The door opens to the side, 270 degrees.

- the capacity is 8xGN1/1, inner dimensions: 330x540x670 mm, guide distance 80 mm
- temperature range +1°C...+9°C
- Ø160 mm wheels, two rotating with brake and two directionally locked without brake
- the wheel bracket is made of hot-dip galvanized steel
- the exterior of the blue carriage is made of



ABS plastic

- stainless steel handle and PVC plastic corner
- the bumper is made of galvanized steel and coated with PVC plastic
- Shuko connector connection, 1,5-2 m spiral cord and holder for plug
- can not be washed in a trolley washing machine, only hand wash

Accessories(charged separately):

- truck tow bar
- door with window
- two extra handles
- address card holders A4, A5, A6
- Ø200 mm wheels, two directionally locked and two with brake
- terrain wheels
- red or black color without extra price, own color, image or logo for extra price
- central brake ABS plastic

- stainless steel handle and PVC plastic corner
- the bumper is made of galvanized steel and coated with PVC plastic
- Shuko connector connection, 1,5-2 m spiral cord and holder for plug
- can not be washed in a trolley washing machine, only hand wash

Accessories(charged separately):

- truck tow bar
- door with window
- two extra handles
- address card holders A4, A5, A6
- Ø200 mm wheels, two directionally locked and two with brake
- terrain wheels
- red or black color without extra price, own color, image or logo for extra price
- central brake

## Food transport trolley Metos Thermobox K120 ECO

Product capacity	8 x GN 1/1-65
Capacity	8 x GN 1/1-65
Inside measures mm	330x540x670
Item width mm	525
Item depth mm	770
Item height mm	1245
Package volume	0.633
Unit of volume	m3
Package volume	0.633 m3
Package length	58
Package width	82
Package height	133
Package unit of dimension	cm
Package dimensions (LxWxH)	58x82x133 cm
Net weight	85
Net weight	85 kg
Gross weight	86
Package weight	86 kg
Unit of weight	kg
Connection power kW	0.245
Fuse Size A	2
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	44
Electrical cable length mm	1500
Type of electrical connection	Plug
Type of the refrigerant	R290
Quantity of refrigerant g	350

## Food transport trolley Metos Thermobox K120 ECO

Hinge location	right
Cleaning	hand wash
Function	cold
GN size	1/1
Temperature area °C	+1°...+9°C
Features	30 kg per pair of guides
Rail distance mm	80
Number of chambers	1
Max load kg	72
Color	blue