

Food transport trolley

Metos Thermobox KE360

ECO

Metos Thermobox KE360 ECO food transport trolley is a flexible solution for simultaneous storage and transportation of warm and cold food. The trolley has two cabinets side-by-side, E-heating to the left and K- cooling to the right. The heating cabinet's patented membrane resistance heating and precise electronic temperature control ensure safe and high-quality conditions for storage and transport of hot food. The compressor-cooled K-trolley reacts more quickly to temperature changes than the C-trolley's active cooling and is a more recommended alternative, if, for example, the door is opened repeatedly during the storage period. The temperature control unit is located at the top of the trolley and has a large digital temperature display. The temperature for the cold cabinet is displayed in blue for the warm cabinet in red.

The trolley is insulated with polyurethane, which expands under high pressure and unites the trolley's construction and the inner chambers into a strong and well-insulated unit. The trolley's energy-efficient insulation ensures safe and high-quality conditions for storage and transport of food.

The trolley can be used in small spaces. The trolley is easy to clean as its inside is completely made of stainless steel and has pressed GN guides without any joints. Large rubber wheels as well as bumpers and ergonomic handles around the trolley makes the trolley easy to handle and light. The robust doors opens comfortably by pulling the handles, which are integrated in the trolley frame. The door opens to the side, 270 degrees.



the capacity is 12xGN1/1(warm),inner dimension: 330x540x1000 mm + 12xGN1/1(cold),inner dimension: 330x540x1000 mm, guide distance 80 mm

- the red cabinet on the left has a temperature range of +40°C...+90°C
- the blue cabinet on the right has a temperature range of +1°C...+9°C
- Ø160 mm wheels, two rotating with brake and two directionally locked without brake
- the wheel bracket is made of hot-dip galvanized steel
- the exterior of the two colored trolley is made of ABS plastic
- stainless steel one-hand grip handle and PVC plastic corner
- the bumper is made of galvanized steel and coated with PVC plastic
- can not be washed in a trolley washing machine, only hand wash

Accessories(charged separately):

- truck tow bar
- door with window
- two extra handles
- address card holders A4, A5, A6
- Ø200 mm wheels, two directionally locked and two with brake
- terrain wheels
- black color without extra price, own color, image or logo for extra price
- central brake the capacity is 12xGN1/1(warm),inner dimension: 330x540x1000 mm + 12xGN1/1(cold),inner dimension: 330x540x1000 mm, guide distance 80 mm
- the red cabinet on the left has a temperature range of +40°C...+90°C
- the blue cabinet on the right has a temperature range of +1°C...+9°C
- Ø160 mm wheels, two rotating with brake and two directionally locked without brake
- the wheel bracket is made of hot-dip galvanized steel
- the exterior of the two colored trolley is made of ABS plastic
- stainless steel one-hand grip handle and PVC plastic corner
- the bumper is made of galvanized steel and coated with PVC plastic
- can not be washed in a trolley washing machine, only hand wash

Accessories(charged separately):

- truck tow bar
- door with window
- two extra handles
- address card holders A4, A5, A6
- Ø200 mm wheels, two directionally locked and two with brake
- terrain wheels
- black color without extra price, own color, image or logo for extra price
- central brake

Food transport trolley Metos Thermobox KE360 ECO

Product capacity	12+12 x GN 1/1-65
Capacity	12+12 x GN 1/1-65
Inside measures mm	330x540x1000
Item width mm	930
Item depth mm	770
Item height mm	1575
Package volume	1.32
Unit of volume	m3
Package volume	1.32 m3
Package length	97
Package width	82
Package height	166
Package unit of dimension	cm
Package dimensions (LxWxH)	97x82x166 cm
Net weight	125
Net weight	125 kg
Gross weight	126
Package weight	126 kg
Unit of weight	kg
Connection power kW	1.045
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	44
Electrical cable length mm	1500
Type of electrical connection	Plug
Type of the refrigerant	R290
Quantity of refrigerant g	350
Hinge location	right

Food transport trolley Metos Thermobox KE360 ECO

Cleaning	hand wash
Function	cold+warm
GN size	1/1
Temperature area °C	+40°C...+90°C +1°...+9°C
Features	30 kg per pair of guides
Rail distance mm	80
Number of chambers	2
Max load kg	216
Color	red&blue