

Chilled display Metos Green OE-112-89-E-R290

Metos Green OE-112-89-E is a recessed, self-serve chilled display designed for use under demanding conditions, with a width of 1125 mm and height of 890 mm. The simple squared shape of the chilled display highlights the products being sold.

The display's tempered glass side panels, the glass shelf and the bright LED lighting for shelves and the cold tub make products being sold highly visible. The self-service display is open on the customer side, with hinged glass doors on the seller's side. A 215 mm high cooled tub with Gastronorm dimensioning.

In addition, the display is equipped with an auto-defrost function, the melting water from which is directed to the grey water system. For those installation locations where it is not possible to connect the display to the grey water system, an condensate evaporation tank is included as an accessory.

The display is equipped with air cooled chilling, digital temperature control and a fan speed regulator. Air temperature range is +2...+4 °C. The glass side panels and glass shelf is made from tempered glass. The substructure is made from stainless steel and insulation is polyurethane.

- recessable into furniture (cut out size 1065 x 670 m)
- shelf and tub lighting
- tempered glass side panels and shelf
- sales space 0.96 m²
- temperature area +2...+4 °C
- digital temperature regulation
- ventilator speed regulator
- easy to clean

EXTRA ACCESSORIES (can be ordered separately):

- sneeze guard for shelf
- price tag frame;
-



evaporation tank; Manual or Electrical 1000W evaporation tank; Manual or Electrical 1000W

Chilled display Metos Green OE-112-89-E-R290

| | |
|----------------------------|--------------------|
| Product capacity | 3x GN1/1+3 shelves |
| Item width mm | 1125 |
| Item depth mm | 695 |
| Item height mm | 890/1565 |
| Package volume | 2.275 |
| Unit of volume | m3 |
| Package volume | 2.275 m3 |
| Package length | 130 |
| Package width | 100 |
| Package height | 175 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 130x100x175 cm |
| Net weight | 200 |
| Net weight | 200 kg |
| Gross weight | 230 |
| Package weight | 230 kg |
| Unit of weight | kg |
| Connection power kW | 0.871 |
| Fuse Size A | 10 |
| Connection voltage V | 230 |
| Number of phases | 1NPE |
| Frequency Hz | 50 |
| Drain diameter | 30 |
| Cooling capacity W | 1570 |
| Type of the refrigerant | R290 |
| Sound level dB | 70 |
| Energy class rating | G |