

Wine cooler Metos TFW400-F glassdoor without frame

The wine cabinet Metos TFW400-F is designed for the aesthetically attractive display of wine bottles and for storing them at an appropriate temperature.

The wine cabinet Metos TFW400-F has a net volume of 350 litres and holds 165x 0.75 litre bottles. The temperature range is adjustable from + 5°C to + 18°C. Temperature control and display are located inside the unit. The fans provide a constant cold air circulation throughout the cabinet. The refrigerant is environmentally friendly R600a.

The wine cabinet has 15 wooden shelves. LED illumination gives bright and even light and brings drinks to the fore. The light has a separate switch, so closing it does not turn off cabinet cooling.

The exterior and interior liner of the appliance is black-painted. The right-handed glass door is frameless and has a stainless steel handle. The door is interchangeable. Smooth surfaces, removable shelves and automatic defrosting make it easy to keep the device clean.

- frameless glass door, whose handedness is interchangeable
- there is no lock on the door
- capacity 165 pieces/750 ml bottles
- net volume is 350 litres
- adjustable temperature from + 5°C to + 18°C
- 15 wooden shelves
- LED lighting
- the inner side of the instrument black ABS, exterior black
- four adjustable legs
- automatic defrosting
- electronic thermostat
- fan assisted cooling
- anti-vibration cooling system
- refrigerant R600a

THE DELIVERY INCLUDES:

- 15 wooden shelves

ACCESSORIES (ordered



separately)

- wine presentation shelves separately)

- wine presentation shelves

Wine cooler Metos TFW400-F glassdoor without frame

Product capacity	165 bottles 0,75
Item width mm	595
Item depth mm	680
Item height mm	1760
Net volume l	350 liters
Package volume	0.988
Unit of volume	m3
Package volume	0.988 m3
Package length	65
Package width	76
Package height	200
Package unit of dimension	cm
Package dimensions (LxWxH)	65x76x200 cm
Net weight	106
Net weight	106 kg
Gross weight	111
Package weight	111 kg
Unit of weight	kg
Connection power kW	0.22
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50/60
Type of electrical connection	Plug
Type of the refrigerant	R-600a
Quantity of refrigerant g	55
Sound level dB	40
Energy class rating	G
Annual power cons. kWh	158