

Water boiler Metos WKI 20n3

The Metos WKI range makes a constant hot water always available. The water boiler refills automatically when water is drawn off. They are flexible in use and therefore ideal for professional use. Water is drawn off as needed without loss of temperature. Wall mounted which makes them ideal for saving counter space.

-volume 20 litres



Water boiler Metos WKI 20n3

| | |
|-------------------------------|----------------|
| Product capacity | 30 litres/hour |
| Item width mm | Ø304 |
| Item depth mm | 304 |
| Item height mm | 585 |
| Package volume | 0.142 |
| Unit of volume | m3 |
| Package volume | 0.142 m3 |
| Package length | 66 |
| Package width | 44 |
| Package height | 49 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 66x44x49 cm |
| Net weight | 13 |
| Net weight | 13 kg |
| Gross weight | 16 |
| Package weight | 16 kg |
| Unit of weight | kg |
| Connection power kW | 3 |
| Fuse Size A | 13 |
| Connection voltage V | 220-240 |
| Number of phases | 1NPE |
| Frequency Hz | 50/60 |
| Type of electrical connection | Plug |
| Electrical conn. height mm | 20 |
| Remarks (electrical) | P |
| Cold water diam. | 3/4" |
| Cold water min pressure kPa | 100 |
| Cold water max pressure kPa | 180 |
| Cold water conn. height mm | 30 |

Water boiler Metos WKI 20n3

| | |
|---------------------|-----------------|
| Raw material | stainless steel |
| Cleaning | hand wash |
| Temperature area °C | 0°C - +97°C |
| Power range kW | 3 |
| Portion size | 20 l |