

Coffee brewer Metos M200W

One brewing unit and hot water unit. Fixed water filling

- brewing volume 0,25 3,0 ltr
- basket filter with a leak stop
- jug detector
- acoustic signal for ready coffee
- descale indicator
- double dry boil safety guard
- self regulating, non-stick-coated hot plates 2 pcs
- anti rolling guides
- continuos-flow water boiler
- additional time for infusion
- brewing volume programmable by cup
- extraction function
- self diagnos

Standard accessories: (included in the offered price)

- jug 1,8 ltr 2 pcs
- basket filter 1 pc
- filtering paper 90/250 25 pcs
- coffee measuring cup 1 pc
- drip tray
- funnel for deliming
- water hose





Coffee brewer Metos M200W

| Product capacity | 14 litres/hour |
|-------------------------------|----------------|
| Item width mm | 420 |
| Item depth mm | 380 |
| Item height mm | 465 |
| Package volume | 0.088 |
| Unit of volume | m3 |
| Package volume | 0.088 m3 |
| Package length | 44 |
| Package width | 40 |
| Package height | 50 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 44x40x50 cm |
| Net weight | 15 |
| Net weight | 15 kg |
| Gross weight | 19 |
| Package weight | 19 kg |
| Unit of weight | kg |
| Connection power kW | 3.35 |
| Fuse Size A | 16 |
| Connection voltage V | 230 |
| Number of phases | 1N |
| Frequency Hz | 50 |
| Type of electrical connection | Plug |
| Electrical conn. height mm | 38 |
| Cold water diam. | 19 |
| Cold water min pressure kPa | 400 |
| Cold water conn. height mm | 140 |
| Cleaning | hand wash |
| Temperature area °C | +84°C - +86°C |
| | |

Coffee brewer Metos M200W

| Features | 112+128 cups/hour |
|-----------------|-------------------|
| Programmability | ready programs |
| Tap height mm | 160 |