

# Coffee brewer Metos CBS-1221 Plus

One airpot brewing unit and a separate hot water tap. Height to the hot water tap from table top is 50 cm

- perfect for specialty coffee roasters, coffee store chains, fine dining restaurants, just about anyone with high coffee brewing standards

- three pre-programmed batch buttons
- plug and play operation
- automatic water filling
- brewing volume 0,95 - 3,25 liter
- brewing time 4-12 minutes
- can be used with 1,9L(D037), 2,2L(D078), 2,2L(D080), 2,5L(D081) or 3,0L (D041) thermos dispensers
- simple to use digital control panel
- pre-wetting, pulse brew, brew time and brew volume programmable
- CSD - cascading spray dome; water flows over the outer surface instead of through tiny drain holes (competitor models) that can easily become clogged with mineral and scale over a short period of time. Because of its revolutionary design, the CSD completely eliminates spray head lime buildup - a leading reason for service calls. Fewer service calls means lower operating costs and more time producing revenue.
- the USB port can be used to upload and download recipes
- large brew basket(33x12,7cm)in plastic, 33 cm from the bottom, uses F002 filter paper, sensor for basket locked into place or not

Included in the delivery:

- brewer
- large filter holder in plastic
- pump thermos D041, other models on request

Accessories: (will be charged separately)

- filter paper F002
- water filter cartridge
- tall server 1,9L(D037), glass lined pump lever airpot 2,2L(D078), pump lever airpot



2,2L(D080) or pump lever airpot 2,5L(D081) 2,2L(D080) or pump lever airpot 2,5L(D081)

## Coffee brewer Metos CBS-1221 Plus

Product capacity	26,5 litres/hour
Item width mm	240
Item depth mm	423/560
Item height mm	660
Package volume	0.166
Unit of volume	m3
Package volume	0.166 m3
Package length	33
Package width	63
Package height	80
Package unit of dimension	cm
Package dimensions (LxWxH)	33x63x80 cm
Net weight	13
Net weight	13 kg
Gross weight	16
Package weight	16 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	12
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Type of electrical connection	Plug
Remarks (electrical)	CEE 7/7
Cold water diam.	1/4"
Cold water flow l/min	5
Cold water min pressure kPa	138
Cold water max pressure kPa	517
Cold water conn. inlet	Bottom;Behind;Left

## Coffee brewer Metos CBS-1221 Plus

Cleaning	hand wash
Programmability	programmable
Portion size	3,25 l