

Bulk brewer Metos ComBi-line 20 NG wallmounting model

Metos CB 20 NG is an easy-to-use, fast and reliable wall-mounted boiler unit from which filtering takes place on a twenty litres tank on a wagon. By combining the filtering unit with an electrically heated or insulated container and a wagon that meets your needs, you get the right coffee point for your use.

The amount of coffee filtration is selectable in litres or cups on the clear touch screen of the cooker. The display of the device controls the user when using the cooker and the dispensing of the ground coffee. The cooker has a timer that allows coffee filtering to start at a certain time. The cooker capacity is around 90 litres per hour (around 720 cups). The filter does not start if the tank is not in position and the filter arm is turned over the tank. The flow of the filtering process can be monitored on the screen. The display can also check the total or daily consumption of coffee and coffee powder. After the coffee has been completed, the cooker informs you on the display and with the tone.

The Metos CB 20 NG coffee urn works on a flow-through heating principle, so the appliance uses only cold and oxygen-rich water in the filtration and keeps the water temperature right throughout the filtration. According to the water hardness set, the descaling need detector indicates the need for descaling of the boiler. The body is made of stainless steel, front of aluminum.

- filter capacity approx. 90 l / h (approx. 720 coffee cups)
- the filtering amount can be selected in litres or cups
- filtering tone
- descaling need



indicator

- filter arm limit sensor
- tank detector
- touch screen
- wall model

ACCESSORIES (to be ordered separately):

- 20 l electrically heated coffee container with sealing lid
- 20 l insulated coffee container with sealing lid
- filter funnel for 20 l tank
- mixing tube for 20 l tank
- tea strainer for 20 l tank
- filler neck for 20 l tank
- glass hose brush
- coffee, tea and hot water stickers
- filter paper 203/533 (500 unit packs) indicator
- filter arm limit sensor
- tank detector
- touch screen
- wall model

ACCESSORIES (to be ordered separately):

- 20 l electrically heated coffee container with sealing lid
- 20 l insulated coffee container with sealing lid
- filter funnel for 20 l tank
- mixing tube for 20 l tank
- tea strainer for 20 l tank
- filler neck for 20 l tank
- glass hose brush
- coffee, tea and hot water stickers
- filter paper 203/533 (500 unit packs)

Bulk brewer Metos ComBi-line 20 NG wallmounting model

Product capacity	90 litres/hour
Item width mm	235
Item depth mm	345
Item height mm	901
Package volume	0.086
Unit of volume	m3
Package volume	0.086 m3
Package length	25.5
Package width	36.5
Package height	92.1
Package unit of dimension	cm
Package dimensions (LxWxH)	25.5x36.5x92.1 cm
Net weight	16
Net weight	16 kg
Gross weight	17
Package weight	17 kg
Unit of weight	kg
Connection power kW	9.2
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Electrical conn. height mm	25
Cold water diam.	19
Cold water flow l/min	3
Cold water min pressure kPa	400
Cold water conn. height mm	25
Floor drain needed	Yes

Bulk brewer Metos ComBi-line 20 NG wallmounting model

Programmability	programmable
-----------------	--------------

Portion size	20 l
--------------	------