

Refrigerator Metos More Eco GNC 1400

Digital control with temperature range +0°C~+10°C. Ambient temperature +38°C

- stainless steel body, except painted galvanized back panel
- rounded inner corners, easy to clean
- evaporator top-mounted
- automatic defrost and condensate evaporation
- 70 mm polyurethane insulation
- removable grid shelves and support rail distance is 55 mm
- lockable, self closing doors
- removable door seals without use of tools
- automatic interior light
- sturdy adjustable stainless steel feet

DELIVERY INCLUDES

- 8 pieces stainless steel grid shelves GN2/1 (650x530 mm)
- 8 pairs of grid supports



Refrigerator Metos More Eco GNC 1400

| | |
|-------------------------------|----------------------------|
| Product capacity | 780 litres |
| Inside measures mm | 1260x630x1445 |
| Item width mm | 1400 |
| Item depth mm | 870 |
| Item height mm | 2050 |
| Net volume l | 756 litres acc. to EN16825 |
| Package volume | 2.767 |
| Unit of volume | m3 |
| Package volume | 2.767 m3 |
| Package length | 143 |
| Package width | 90 |
| Package height | 215 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 143x90x215 cm |
| Net weight | 170 |
| Net weight | 170 kg |
| Gross weight | 190 |
| Package weight | 190 kg |
| Unit of weight | kg |
| Connection power kW | 0.42 |
| Fuse Size A | 10 |
| Connection voltage V | 230 |
| Number of phases | 1NPE |
| Frequency Hz | 50 |
| Protection rating (IP) | 20 |
| Type of electrical connection | Plug |
| Type of the refrigerant | R290 |
| Quantity of refrigerant g | 100 |
| Sound level dB | 55 |

Refrigerator Metos More Eco GNC 1400

| | |
|---------------------|-------------------|
| Energy class rating | D |
| Raw material | stainless steel |
| GN size | 2/1 |
| Temperature area °C | 0/10 |
| Rail distance mm | 56 |
| Lighting | LED |
| Cooling unit | With cooling unit |
| Defrosting | automatic |
| Temperature probe | No |
| Fill in trolleys | No |
| Glass door | No |