

# Blast chiller/freezer cabinet

## Metos MRBS-121-SR Right (remote cooling)

The Metos MRBS-121-SR blast chilling and freezing cabinet quickly cools raw and cooked food. The food stays fresh and of high quality and, above all, clean. In professional kitchens, special attention must be paid to food safety. Our efficient blast chillers and freezers meet all HACCP requirements.

The Metos MRBS-121-SR has remote cooling and is equipped with 5" touch control on the door. There are ready-made programs for both chilling and freezing functions, from gentle to very efficient. In addition to these, the user can store the user's own programs. The display shows the temperature and monitors the progress of the program. The appliance automatically switches to storage mode at the end of the quick cooling process. Inner and outer lining in easy-to-clean stainless steel. Rounded corners and a bottom plug make cleaning easier.

- 16 x GN 1/1-40 or 12 x GN 1/1-65 or 600x400mm baking trays
- 5" touch control on the door, ergonomic
- save up to 99 programs with the core probe or time
- multi-step rack allows to place the GN1/1 pans and baking trays at different heights
- internal dimensions 670x450x930mm
- core probe is easy to be replaced by rotating a ring nut
- S/S condenser filter is easy to extract and clean, dishwasher safe
- remote cooling
- stainless steel outside and inside internal coating with fully rounded corners
- Die-moulded and leakproof internal base
- Full-length flush ergonomic handle
- HCFC-free high-density polyurethane foam insulation (approx. 42kg/m<sup>3</sup>)
- Anti-condensation



heating element situated on the body frame

- Magnetic seal on 4 sides of the door
- Right hinged door, which is not reversible
- Highly ventilated evaporator to ensure the cooling system's maximum efficiency
- USB connection for uploading new firmware release and downloading HACCP data
- chilling capacity 65kg/ +90...+3°C/90min, freezing capacity 45kg/+ 90...-18°C/240min
- stated capacities kg/h are nominal, and cannot be achieved with all food products and circumstances
- cooling power 1940 W heating element situated on the body frame
- Magnetic seal on 4 sides of the door
- Right hinged door, which is not reversible
- Highly ventilated evaporator to ensure the cooling system's maximum efficiency
- USB connection for uploading new firmware release and downloading HACCP data
- chilling capacity 65kg/ +90...+3°C/90min, freezing capacity 45kg/+ 90...-18°C/240min
- stated capacities kg/h are nominal, and cannot be achieved with all food products and circumstances
- cooling power 1940 W

## Blast chiller/freezer cabinet Metos MRBS-121-SR Right (remote cooling)

Product capacity	65kg/45kg/+90...+3/-18
Capacity	12 x GN1/1-65 or EN1
Item width mm	790
Item depth mm	870
Item height mm	1810
Package volume	1.631
Unit of volume	m3
Package volume	1.631 m3
Package length	89
Package width	94
Package height	195
Package unit of dimension	cm
Package dimensions (LxWxH)	89x94x195 cm
Net weight	150
Net weight	150 kg
Gross weight	190
Package weight	190 kg
Unit of weight	kg
Connection power kW	0.1994
Fuse Size A	6
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	IPX4
Type of electrical connection	Semifixed
Cooling capacity W	1940
Condensing temperature °C	+45
Evaporation temperature °C	-25
Type of the refrigerant	R452A/R448A/R449A

## Blast chiller/freezer cabinet Metos MRBS-121-SR Right (remote cooling)

Remarks (refrigeration)	remote cooling
Sound level dB	70
Cooling unit	Remote cooled