

Bakery plate, perforated, aluminium Metos 450x600

MG4131251



Bakery plate, perforated, aluminium Metos 450x600

Item width mm	450
Item depth mm	600
Item height mm	20
Package volume	0.005
Unit of volume	m3
Package volume	0.005 m3
Package length	45
Package width	60
Package height	2
Package unit of dimension	cm
Package dimensions (LxWxH)	45x60x2 cm
Net weight	0.7
Net weight	0.7 kg
Gross weight	0.8
Package weight	0.8 kg
Unit of weight	kg

Bakery plate, perforated, aluminium Metos 450x600

Product capacity	2xGN2/1 or 4xGN1/1
Capacity	4xGN1/1 or 2xGN2/1
Item width mm	800
Item depth mm	800
Item height mm	460
Package volume	0.53
Unit of volume	m3
Package volume	0.53 m3
Package length	95
Package width	90
Package height	62
Package unit of dimension	cm
Package dimensions (LxWxH)	95x90x62 cm

Bakery plate, perforated, aluminium Metos 450x600

Net weight	60
Net weight	60 kg
Gross weight	75
Package weight	75 kg
Unit of weight	kg
Connection power kW	7.6
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Startup current A	10.9
Type of electrical connection	Semifixed
Electrical conn. height mm	250
Cold water diam.	R 3/4"
Cold water conn. height mm	25
Drain diameter	16
Power type	electric
Raw material	Stainless steel
Operation type	electromechanical
Hinge location	left
Cleaning	hand wash
GN size	1/1 / 2/1
Temperature area °C	50-300
Max temperature °C	300
Power range kW	7.6
Temperature probe	No
Fill in trolleys	No
Hand shower	No
Descaling	No

Bakery plate, perforated, aluminium Metos 450x600

Humidification

Yes

Timer

Yes