

Ceramic range Metos Diamante D92/10VTC with open cupboard

The Metos Diamante D92/10VTC ceramic stove with an open stand has two 2,6 kW cooking plates. The cooking plates on the unbreakable stove are 220x220 mm, and their temperature can be adjusted from the adjustor knobs that have seven settings. It is possible to simultaneously operate two separate cooking plates, depending on the size of the cooking dish. The temperature in the cooking plates can be adjusted between 50°C and 400°C. The signal light on the control panel lights up when the temperature reaches 50°C. Furthermore, the back edge of the stove is slightly tilted, which prevents splashes from dripping behind it. The Metos Diamante 90 -restaurant series is designed for demanding use in professional kitchens and, thus, the appliances are extremely efficient, functional and stylish. The sturdy structure, straightforward use and easy cleanability enable more focus on preparing the food itself. The Diamante 90 -series appliances are available in either a table top version or with its own stand, individually or in combination with other appliances. The appliances are laser cut, which guarantees that they can be connected to other appliances to form a clean and stylish look.

- with an open stand
- two cooking plates (2,6 kW / cooking plate)
- temperature adjustable between 50-400°C
- large adjustors protected from splashes
- frame from stainless steel
- overheating protection

ADDITIONAL ACCESSORIES (order separately):

- guide rails to the open stand
- stand door
- door for accessories
- accessories; knife



holder, utensil holder, spice holder, bottle holder

- stand drawers

- heating sole for stand

- wheels

- footing

- side panels holder, utensil holder, spice holder, bottle holder

- stand drawers

- heating sole for stand

- wheels

- footing

- side panels

Ceramic range Metos Diamante D92/10VTC with open cupboard

Item width mm	400
Item depth mm	900
Item height mm	870
Package volume	0.415
Unit of volume	m3
Package volume	0.415 m3
Package length	45
Package width	95
Package height	97
Package unit of dimension	cm
Package dimensions (LxWxH)	45x95x97 cm
Net weight	60
Net weight	60 kg
Gross weight	70
Package weight	70 kg
Unit of weight	kg
Connection power kW	8
Connection voltage V	400
Frequency Hz	50/60
Protection rating (IP)	X4
Raw material	Stainless steel
Type	electric
Operation type	electromechanical
Top material type	ceramic