

Ceramic range Metos Diamante D92/10TVTC table top model

The Metos Diamante D92/10TVTC table top ceramic stove has two 2,6 kW cooking plates. The cooking plates on the unbreakable stove are 220x220 mm, and their temperature can be adjusted from the adjustor knobs that have seven settings. It is possible to simultaneously operate two separate cooking plates, depending on the size of the cooking dish. The temperature in the cooking plates can be adjusted between 50°C and 400°C. The signal light on the control panel lights up when the temperature reaches 50°C. Furthermore, the back edge of the stove is slightly tilted, which prevents splashes from dripping behind it.



The Metos Diamante 90 -restaurant series is designed for demanding use in professional kitchens and, thus, the appliances are extremely efficient, functional and stylish. The sturdy structure, straightforward use and easy cleanability enable more focus on preparing the food itself. The Diamante 90 -series appliances are available in either a table top version or with its own stand, individually or in combination with other appliances. The appliances are laser cut, which guarantees that they can be connected to other appliances to form a clean and stylish look.

- table top model
- two cooking plates (2,6 kW / cooking plate)
- temperature adjustable between 50-400°C
- large adjustors protected from splashes
- frame from stainless steel
- overheating protection

ADDITIONAL ACCESSORIES (order separately):

- open stand
- open stand with five guide rails
- stand door
- door for accessories
-

accessories; knife holder, utensil holder, spice holder, bottle holder

- stand drawers

- heating sole for stand

- wheels

- footing

- side panels accessories; knife holder, utensil holder, spice holder, bottle holder

- stand drawers

- heating sole for stand

- wheels

- footing

- side panels

Ceramic range Metos Diamante D92/10TVTC table top model

Item width mm	400
Item depth mm	900
Item height mm	250
Package volume	1.496
Unit of volume	hl
Package volume	1.496 hl
Package length	45
Package width	95
Package height	35
Package unit of dimension	cm
Package dimensions (LxWxH)	45x95x35 cm
Net weight	46
Net weight	46 kg
Gross weight	76
Package weight	76 kg
Unit of weight	kg
Connection power kW	8
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50/60
Raw material	Stainless steel
Type	electric
Operation type	electromechanical
Top material type	ceramic