

# Vattendispenser Metos

## Drop-In WD

Drop-in model som byggs i möbel. Effektiv kylmaskin

- kapacitet 40 l / timma
- mekanisk hane
- avlopp i toppen
- leverans inte inkluderar anslutning från kylmaskin till hane



## Vattendispenser Metos Drop-In WD

Produktkapasitet	60 liter / timme
Bredd mm	330
Djup mm	400
Höjd mm	15
Paketvolym	0,108
Volymenthet	m <sup>3</sup>
Paketvolym	0,108 m <sup>3</sup>
Längd på förpackning	49
Bredd på förpackning	55
Höjd på förpackning	40
Förpackningsstorlek	cm
Dimensioner på förpackning (LxBxH)	49x55x40 cm
Nettovikt	28
Nettovikt med ental	28 kg
Bruttovikt	30
Vikt inkl. emballage	30 kg
Viktenhet	kg
Anslutningseffekt kW	0,56
Säkringsstorlek A	10
Spänning V	230
Antal fasor	1NPE
Frekvens Hz	50
Max strömförbrukning A	2,4
Kapslingsklass (IP)	43
Kabellängd mm	3200
Typ av anslutning	Stickkontakt
Kallvatten diameter	R1/2"
Kallvatten, max tryck kPa	500
Avlopp, diameter	R1/2"

## Vattendispenser Metos Drop-In WD

Kyleffekt W	330
Kylmedium	R290
Kylmedium, mängd g	60




**Installation on top of the table**

**Drop-in Water dispenser  
Metos D-IWD mechanical**

When constructing the counter, an opening for the connection cable must be considered. The opening must be at least the size of a plug (diameter min. 40 mm). In addition, the edges of the opening must be finished to make sure that the connection cable is not damaged by rubbing against the opening edge.

The counter, where drop-in units are installed, must be damp-proof and strong enough to bear the appliance weight.

Net weight:  
D-IWD 28 kg



The holes to the table for fastening the faucet and drainage.

- ① Electric connection: 230V, 1~, 0,5kW, 10A  
The length of the connection cable is 3,2 m
- ② Cold water connection: R1/2", max 500 kPa
- ④ Drain: Connection for hose with 18 mm inner diameter. Hose not included in the delivery.

*This document may not be copied in part or in whole by any process nor passed on to a third party without the written permission of the owner Metos Oy Ab.*