

Heated counter Metos Proff WT-1200-DRLW-DRLW- TDRR

Counter with heated top plate and 3 heated cupboards. Place for a total 13 x GN 1/1-100 containers

- Heated area : 1035 x 525mm
- Easily changeable gaskets
- Cupboard heated with servicefriendly heating cassette
- Stainless steel construction
- Top plate with rounded front
- Cabinet floor with rounded corners to help cleaning
- Separate thermostats for cupboard and heated top
- Heated top temperature range: + 40° - +60 °C
- Cupboard temperature range: + 40° - +80 °C
- Adjustable feet, +20mm / -40mm

Accessories:

- Wheels instead of feet
- Uppershelves with lights / heating lamps
- Handout shelves



Heated counter Metos Proff WT-1200-DRLW-DRLW-TDRR

Product capacity	1200x650mm plane+13 GN1/1-100
Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	1.073
Unit of volume	m3
Package volume	1.073 m3
Package length	130
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	130x75x110 cm
Net weight	95
Net weight	95 kg
Gross weight	95
Package weight	95 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.3
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	13 GN1/1-100
Number of chambers	3

Heated counter Metos Proff WT-1200-DRLW-DRLW-TDRR

Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No