

## Cold basin Metos Classic BT1200-DSL-MPL-DSR

GN3/1 sized cold basin, 160 mm deep. Two cold cabinets, with one GN-sized grid shelf each, one left and one right handed door

- overextending telescopic slides, can be removed for cleaning
- stainless steel construction with rounded topplate
- urethane foamed good insulation
- effective and removable compressor cassette
- easy to clean condenser
- temperature area: +3° - +10 °C with electronic thermostat
- ergonomic handles made of special plastic, easy to clean
- hygienic rounded edges inside cabinet
- adjustable feet +20/-45 mm



## Cold basin Metos Classic BT1200-DSL-MPL-DSR

Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	0.948
Unit of volume	m3
Package volume	0.948 m3
Package length	123
Package width	72
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	123x72x110 cm
Net weight	70
Net weight	70 kg
Gross weight	86
Package weight	86 kg
Unit of weight	kg
Connection power kW	0.42
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	3
Protection rating (IP)	43
Type of the refrigerant	R290
Quantity of refrigerant g	85
Function	cold
GN size	GN3/1 160 mm
Power range kW	0.42
Lighting	without lighting

## Cold basin Metos Classic BT1200-DSL-MPL-DSR

Type of display	with doors
Amount of cabinets	2
Stowage	cabinets
Defrosting	automatic