

## Cold basin Metos Classic 1600-DSL-DSL-MPL-DSR

GN4/1 sized cold basin, 160 mm deep. Three cold cabinets, with one GN-sized grid shelf each, two left and one right handed door

- overextending telescopic slides, can be removed for cleaning
- stainless steel construction with rounded topplate
- urethane foamed good insulation
- effective and removable compressor cassette
- easy to clean condenser
- temperature area: +3° - +10 °C with electronic thermostat
- ergonomic handles made of special plastic, easy to clean
- hygienic rounded edges inside cabinet
- adjustable feet +20/-45 mm



## Cold basin Metos Classic 1600-DSL-DSL-MPL-DSR

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.256
Unit of volume	m3
Package volume	1.256 m3
Package length	163
Package width	72
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	163x72x110 cm
Net weight	122
Net weight	122 kg
Gross weight	142
Package weight	142 kg
Unit of weight	kg
Connection power kW	0.42
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	3
Protection rating (IP)	43
Type of the refrigerant	R290
Quantity of refrigerant g	85
Function	cold
GN size	GN4/1 160 mm
Power range kW	0.42
Lighting	without lighting

## Cold basin Metos Classic 1600-DSL-DSL-MPL-DSR

Type of display	with doors
Amount of cabinets	3
Stowage	cabinets
Defrosting	automatic