

Range+conv.oven Metos Futura RP4/240 400V3N~

Cooking plates made of cast iron, external surfaces stainless steel. Four 3 kW cooking plates, size 300x300 mm

- hinged plates make cleaning easy
- 7-steps power regulator
- signal lights

Stand with Metos Chef 240 convection oven:

- cooking cabinet, door and external surfaces stainless steel
- temperature: +50-300°C
- timer 0-120 min or continuous
- manual valve for taking out the humidity from the cabinet
- manual humidification, also with continuous humidification: when requested, humidification level can be changed
- 2 removable pairs of rails for 2 x GN2/1



Range+conv.oven Metos Futura RP4/240 400V3N~

Product capacity	2x GN2/1
Capacity	800x800x900
Item width mm	800
Item depth mm	800
Item height mm	900
Package volume	0.81
Unit of volume	m3
Package volume	0.81 m3
Package length	90
Package width	90
Package height	100
Package unit of dimension	cm
Package dimensions (LxWxH)	90x90x100 cm
Net weight	135
Net weight	135 kg
Gross weight	170
Package weight	170 kg
Unit of weight	kg
Connection power kW	19.6
Fuse Size A	40
Connection voltage V	400/230
Number of phases	3NPE
Frequency Hz	50
Startup current A	37
Protection rating (IP)	X3
Type of electrical connection	Semifixed
Electrical conn. height mm	160
Remarks (electrical)	Working current 38A
Cold water diam.	3/4"

Range+conv.oven Metos Futura RP4/240 400V3N~

Power type	electric
Raw material	Stainless steel
Type	electric
Operation type	electromechanical
Temperature area °C	50-300
Top material type	cast iron
Cooking zone	4
Cooking zone size mm	300x300
Cooking zone power kW	3
Power range kW	19.6
Frying top type	smooth

METOS RP

