
Induction range Metos EcoKitchen IND-E0P- L3500x2U

Free standing induction range stainless steel construction
schott ceramic glass surface: 320 x 650 mm 2 coils: diameter
230 mm, each 3.5 kW Cooking area diameter 120-230 mm
step-less regulation, 2 separate knobs overheating protection
minimum pot diameter 120mm



Induction range Metos EcoKitchen IND-E0P-L3500x2U

Item width mm	400
Item depth mm	800/850
Item height mm	900
Package volume	0.524
Unit of volume	m3
Package volume	0.524 m3
Package length	91
Package width	51
Package height	113
Package unit of dimension	cm
Package dimensions (LxWxH)	91x51x113 cm
Net weight	39
Net weight	39 kg
Gross weight	70
Package weight	70 kg
Unit of weight	kg
Connection power kW	7
Fuse Size A	16
Connection voltage V	400
Number of phases	3N
Frequency Hz	50
Protection rating (IP)	X3
Type of electrical connection	Semifixed
Power type	electric
Type	induction
Operation type	electromechanical
Top material type	ceramic
Cooking zone	2
Cooking zone size mm	230

Induction range Metos EcoKitchen IND-E0P-L3500x2U

Cooking zone power kW	3.5
Power range kW	7
Frying top type	smooth