

## Bain marie water filling Metos Proff BM-F-1

Filling of basin with press button. Ordered with the bain marie  
at the same time  
- no retrofitting



## Bain marie water filling Metos Proff BM-F-1

Package volume	0.01
Unit of volume	m3
Package volume	0.01 m3
Package length	0
Package width	0
Package height	0
Package dimensions (LxWxH)	0x0x0
Net weight	2
Net weight	2 kg
Gross weight	2
Package weight	2 kg
Unit of weight	kg
Connection voltage V	230
Number of phases	1N
Frequency Hz	50
Type of electrical connection	Plug
Hot water diam.	22
Operation type	electromechanical
Cleaning	hand wash
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3

## Bain marie water filling Metos Proff BM-F-1

Package length	165
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm
Net weight	85
Net weight	85 kg
Gross weight	105
Package weight	105 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1 210 mm + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800

## Bain marie water filling Metos Proff BM-F-1

Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	75
Net weight	75 kg
Gross weight	80
Package weight	80 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 - 210
Number of chambers	2
Power range kW	1.4
Lighting	without lighting

## Bain marie water filling Metos Proff BM-F-1

Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900+405
Package volume	0.893
Unit of volume	m3
Package volume	0.893 m3
Package length	85
Package width	70
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x150 cm
Net weight	76.42
Net weight	76.42 kg
Gross weight	76.42
Package weight	76.42 kg
Unit of weight	kg
Connection power kW	1.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	7.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical

## Bain marie water filling Metos Proff BM-F-1

Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100

Number of chambers	2
Power range kW	1.8
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Product capacity	3xGN1/1-210 + 9XGN1/1-100
Item width mm	1200
Item depth mm	650
Item height mm	900+405
Package volume	1.313
Unit of volume	m <sup>3</sup>
Package volume	1.313 m <sup>3</sup>
Package length	125
Package width	70
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	125x70x150 cm
Net weight	110.28
Net weight	110.28 kg
Gross weight	110.28
Package weight	110.28 kg
Unit of weight	kg
Connection power kW	2.9
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60

## Bain marie water filling Metos Proff BM-F-1

Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical

Cleaning	hand wash
GN size	3xGN1/1-210 + 9XGN1/1-100
Number of chambers	3
Power range kW	2.9
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	80
Net weight	80 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg

## Bain marie water filling Metos Proff BM-F-1

Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60

Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100
Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3
Package length	165
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm
Net weight	95
Net weight	95 kg

## Bain marie water filling Metos Proff BM-F-1

Gross weight	115
Package weight	115 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE



Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	4x1/1 + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Product capacity	GN1/1-200 bain marie
Item width mm	400
Item depth mm	650
Item height mm	900
Package volume	0.234
Unit of volume	m3
Package volume	0.234 m3
Package length	40
Package width	65

## Bain marie water filling Metos Proff BM-F-1

Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	40x65x90 cm
Net weight	40
Net weight	40 kg
Gross weight	40
Package weight	40 kg
Unit of weight	kg
Connection power kW	0.55

Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	2.4
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-200
Power range kW	0.55
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Product capacity	GN2/1-200 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.505

## Bain marie water filling Metos Proff BM-F-1

Unit of volume	m <sup>3</sup>
Package volume	0.505 m <sup>3</sup>
Package length	82
Package width	67
Package height	92
Package unit of dimension	cm
Package dimensions (LxWxH)	82x67x92 cm
Net weight	46
Net weight	46 kg
Gross weight	65

Package weight	65 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 210 mm
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Item width mm	1600
---------------	------

## Bain marie water filling Metos Proff BM-F-1

Item depth mm	650
Item height mm	900
Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	100
Net weight	100 kg

Gross weight	100
Package weight	100 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	9.6
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No

## Bain marie water filling Metos Proff BM-F-1

Humidification	No
Timer	No

## Bain marie water filling Metos Proff BM-F-1

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	60

Net weight	60 kg
Gross weight	67
Package weight	67 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	10
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-210

## Bain marie water filling Metos Proff BM-F-1

Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No