

Bain marie shower Metos Proff BM-HF

Filling of basin with handshower. Can be used to clean basins

- delivery includes hose
- ordered with the bain marie at the same time
- no retrofitting



Bain marie shower Metos Proff BM-HF

Item width mm	100
Item depth mm	250
Item height mm	100
Package volume	0.003
Unit of volume	m3
Package volume	0.003 m3
Package length	30
Package width	10
Package height	10
Package unit of dimension	cm
Package dimensions (LxWxH)	30x10x10 cm
Net weight	4
Net weight	4 kg
Gross weight	4
Package weight	4 kg
Unit of weight	kg
Connection voltage V	230
Number of phases	1N
Frequency Hz	50
Type of electrical connection	Plug
Cold water diam.	22
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271

Bain marie shower Metos Proff BM-HF

Unit of volume	m3
Package volume	1.271 m3
Package length	165
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm
Net weight	85
Net weight	85 kg
Gross weight	105
Package weight	105 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1 210 mm + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Bain marie shower Metos Proff BM-HF

Product capacity	3xGN1/1-210 + 9XGN1/1-100
Item width mm	1200
Item depth mm	650
Item height mm	900+405
Package volume	1.313
Unit of volume	m3
Package volume	1.313 m3
Package length	125
Package width	70
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	125x70x150 cm
Net weight	110.28
Net weight	110.28 kg
Gross weight	110.28
Package weight	110.28 kg
Unit of weight	kg
Connection power kW	2.9
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	3xGN1/1-210 + 9XGN1/1-100
Number of chambers	3

Bain marie shower Metos Proff BM-HF

Power range kW	2.9
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	3xGN1/1-210 + 9XGN1/1-100
Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	0.963
Unit of volume	m3
Package volume	0.963 m3
Package length	125
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	125x70x110 cm
Net weight	85
Net weight	85 kg
Gross weight	93
Package weight	93 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	9.5
Protection rating (IP)	43

Bain marie shower Metos Proff BM-HF

Type of electrical connection	Plug
Operation type	electromechanical

Cleaning	hand wash
GN size	3xGN1/1-210 + 9XGN1/1-100
Number of chambers	3
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900+405
Package volume	0.893
Unit of volume	m3
Package volume	0.893 m3
Package length	85
Package width	70
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x150 cm
Net weight	76.42
Net weight	76.42 kg
Gross weight	76.42
Package weight	76.42 kg
Unit of weight	kg
Connection power kW	1.8
Fuse Size A	16

Bain marie shower Metos Proff BM-HF

Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	7.8

Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100
Number of chambers	2
Power range kW	1.8
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	80
Net weight	80 kg
Gross weight	85

Bain marie shower Metos Proff BM-HF

Package weight	85 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230

Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100
Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	3xGN1/1-210 + 9XGN1/1-100
Item width mm	1200
Item depth mm	650
Item height mm	900
Package volume	0.963
Unit of volume	m ³
Package volume	0.963 m ³
Package length	125
Package width	70
Package height	110
Package unit of dimension	cm

Bain marie shower Metos Proff BM-HF

Package dimensions (LxWxH)	125x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	105
Package weight	105 kg
Unit of weight	kg
Connection power kW	2.2

Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	9.8
Protection rating (IP)	43
Type of electrical connection	Plug
Function	warm
GN size	3xGN1/1-210 + 9XGN1/1-100
Power range kW	2.2
Lighting	without lighting
Type of display	with doors
Upper part	without upper part
Model	Proff
Amount of cabinets	3
Stowage	shelves

Bain marie shower Metos Proff BM-HF

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3

Bain marie shower Metos Proff BM-HF

Package length	165
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	115
Package weight	115 kg

Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	4x1/1 + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	GN1/1-200 bain marie
Item width mm	400

Bain marie shower Metos Proff BM-HF

Item depth mm	650
Item height mm	900
Package volume	0.234
Unit of volume	m3
Package volume	0.234 m3
Package length	40
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	40x65x90 cm

Net weight	40
Net weight	40 kg
Gross weight	40
Package weight	40 kg
Unit of weight	kg
Connection power kW	0.55
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	2.4
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-200
Power range kW	0.55
Lighting	without lighting
Fill in trolleys	No

Bain marie shower Metos Proff BM-HF

Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	GN2/1-200 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.505
Unit of volume	m3
Package volume	0.505 m3
Package length	82
Package width	67
Package height	92

Package unit of dimension	cm
Package dimensions (LxWxH)	82x67x92 cm
Net weight	46
Net weight	46 kg
Gross weight	65
Package weight	65 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash

Bain marie shower Metos Proff BM-HF

GN size	GN2/1 210 mm
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65

Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	100
Net weight	100 kg
Gross weight	100
Package weight	100 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	9.6
Protection rating (IP)	43

Bain marie shower Metos Proff BM-HF

Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	2 X GN1/1-150 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.468
Unit of volume	m3

Package volume	0.468 m3
Package length	80
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	80x65x90 cm
Net weight	70
Net weight	70 kg
Gross weight	70
Package weight	70 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230

Bain marie shower Metos Proff BM-HF

Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2 X GN1/1-150
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Product capacity	3 X GN1/1-150 bain marie
Item width mm	1200
Item depth mm	650
Item height mm	900

Package volume	0.702
Unit of volume	m3
Package volume	0.702 m3
Package length	120
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	120x65x90 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg

Bain marie shower Metos Proff BM-HF

Unit of weight	kg
Connection power kW	1.65
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	7.2
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	3 X GN1/1-150
Power range kW	1.65
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Bain marie shower Metos Proff BM-HF

Item width mm	1600
Item depth mm	650

Item height mm	900
Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	60

Bain marie shower Metos Proff BM-HF

Net weight	60 kg
Gross weight	67
Package weight	67 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	10
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No