

Cold drawer Metos Classic NT-2000-GN3-GN3-GN3- GN3-MU

Cold drawer Metos Classic NT-2000-GN3-GN3-GN3-GN3-MU works as a handy work table while offering the ingredients within the arm's reach. Metos Classic refrigeration and dispensing equipment are designed for different purposes of the professional kitchens and can function as separate units as well as the complete sets of distribution lines. Convertibility, easy-to-operate elements, seamless connectivity of the furniture and equipment and last but not the least, their hygiene, ergonomics and easy cleaning - these are the features that Classic-equipment brings to your kitchen.

Metos Classic NT-2000-GN3-GN3-GN3-GN3-MU cold drawer counter has drawers for twelve GN1/1-150 containers. Over extension telescopic slides enable the easy replacement of the GN-containers as well as the flawless and quick opening and closing of the drawers.

The device is made of stainless steel and has a smooth, insulated neutral countertop. The temperature adjustment range of the refrigerator is from +3°C to +10°C. The cast urethane insulation keeps the cool air inside the device and the efficient cooling fan distributes the air evenly all over the drawer. This cold drawer counter has an electronic control with a digital temperature display. The control panel is retracted and thus protected from any collisions.

Hygienic stainless steel countertop, rounded corners and tool-free removable drawer slides make it easy to clean the device. Removable and washable filter at the front part of the condenser keeps the cool air inside the device clean and at the same time prevents the



device from getting dirty. The device has an automatic defrosting and evaporation of the meltwater, as well as a standard drainage possibility. The sealing gaskets of the drawers can be replaced without any tools. The cool drawers are supplied with connectors for power cables at the bottom of the device, making it easier to keep the floor under the device clean.

- capacity 12xGN1/1-150 drawers (GN-containers are not included in the delivery)
- over extension telescopic slides
- temperature adjustment range is +3°C... +10°C
- digital temperature screen
- electronic control
- stainless steel structure
- cast urethane gasket
- removable and washable condenser filter
- automatic defrosting and evaporation of meltwater
- easy-to-change gaskets
- nondetachable refrigerator at the right side of the device
- adjustable feet +20...-45 mm
- refrigerant R290

THE DELIVERY INCLUDES:

- connectors for power cables

ACCESSORIES (to be ordered separately):

- GN containers
 - bottom panel for the drawer
 - drawer's internal frame for GN-containers of different sizes
 - wheels (code: 4321300)
- device from getting dirty. The device has an automatic defrosting and evaporation of the meltwater, as well as a standard drainage possibility. The sealing gaskets of the drawers can be replaced without any tools. The cool drawers are supplied with connectors for power cables at the bottom of the device, making it easier to keep the floor under the device clean.

- capacity 12xGN1/1-150 drawers (GN-containers are not included in the delivery)
- over extension telescopic slides
- temperature adjustment range is +3°C... +10°C
- digital temperature screen
- electronic control
- stainless steel structure
- cast urethane gasket
- removable and washable condenser filter
- automatic defrosting and evaporation of meltwater
- easy-to-change gaskets
- nondetachable refrigerator at the right side of the device
- adjustable feet +20...-45 mm
- refrigerant R290

THE DELIVERY INCLUDES:

- connectors for power cables

ACCESSORIES (to be ordered separately):

- GN containers
- bottom panel for the drawer
- drawer's internal frame for GN-containers of different sizes
- wheels (code: 4321300)

Cold drawer Metos Classic NT-2000-GN3-GN3-GN3-GN3-MU

Inside measures mm	2000×650×900 mm
Item width mm	2000
Item depth mm	650
Item height mm	900
Package volume	1.654
Unit of volume	m3
Package volume	1.654 m3
Package length	203
Package width	70
Package height	105
Package unit of dimension	cm
Package dimensions (LxWxH)	203x70x105 cm
Net weight	173.78
Net weight	173.78 kg
Gross weight	204.78
Package weight	204.78 kg
Unit of weight	kg
Connection power kW	0.53
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	2.3
Protection rating (IP)	IP43
Type of the refrigerant	R290
Quantity of refrigerant g	92
Function	cold
GN size	1/1 150
Power range kW	0.53

Cold drawer Metos Classic NT-2000-GN3-GN3-GN3-GN3-MU

Lighting	without lighting
Amount of drawers	12
Stowage	drawers
Defrosting	automatic