

Coffee brewer Metos CBS-1232 Plus with two brewing units

The Metos CBS-1232 Plus coffee brewer is a perfect hot beverage solution for low- to medium-volume self-service environments such as convenience stores, cafeterias, specialty coffee shops, or office coffee service. Designed specifically for smaller batch brewing. Plug and play operation, batch buttons are pre-programmed at the factory. If desired the USB port can be used to upload and download recipes.

Cascading spray dome is a patented design which provides even saturation of the coffee bed for maximum extraction. Lime resistant design makes for less service calls.

ECO mode reduces tank temperature during periods of non-operation to cut down on electricity usage.

Plastic brew basket with a capacity of 227 grams and advanced design to provide a deeper bed depth and superior thermal insulation for better extraction.

- two brewing units for two thermos
- capacity: 56 l/h. Cups/hour when factory setting is used: 254 x 236 ml, 169 x 355 ml, 127 x 473 ml or 101 x 591 ml
- brewing time 2-12 minutes (factory set 5,5 min brew time, 0% prewet, 93°C water, 3 l batch)
- can be used with a 4 litres Luxus thermos or a 3 litres pump thermos
- fixed water connection
- manual hot water tap, on 280 mm height from the table
- plastic brew basket, on 370 mm height from the table
- automatic water filling
- Push Button Interface
- pre-wetting, pulse brew, drip delay, brew time and brew volume programmable
- descale indicator
- ECO mode
- USB
- laser welded tank, 20,7 litres



accesseories: (will be charged separately)

- 4 litres Luxus thermos
- serving station S4S-10-1
- 3 litres pump thermos
- filter papers F002
- brew basket
- water filter cartridges accesseories: (will be charged separately)
- 4 litres Luxus thermos
- serving station S4S-10-1
- 3 litres pump thermos
- filter papers F002
- brew basket
- water filter cartridges

Coffee brewer Metos CBS-1232 Plus with two brewing units

Product capacity	2 x 3-4 litres thermos
Item width mm	502
Item depth mm	384/521
Item height mm	664/700
Package volume	0.291
Unit of volume	m3
Package volume	0.291 m3
Package length	59
Package width	64
Package height	77
Package unit of dimension	cm
Package dimensions (LxWxH)	59x64x77 cm
Net weight	21.3
Net weight	21.3 kg
Gross weight	24.9
Package weight	24.9 kg
Unit of weight	kg
Connection power kW	5.5
Fuse Size A	13
Connection voltage V	400/230
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Remarks (electrical)	no cable with machine
Cold water diam.	3/8" male
Cold water flow l/min	5
Cold water min pressure kPa	138
Cold water max pressure kPa	517
Cold water conn. inlet	Bottom;Behind

Coffee brewer Metos CBS-1232 Plus with two brewing units

Cold water conn. height mm	129
Cleaning	hand wash
Data transfer	USB
Programmability	programmable
Portion size	2x4 l