

Blast chiller/freezer cabinet Metos MRBS-051-SR Left (Remote)

The Metos MRBS-051-SR blast chilling and freezing cabinet quickly cools raw and cooked food. The food stays fresh and of high quality and, above all, clean. In professional kitchens, special attention must be paid to food safety. Our efficient blast chillers and freezers meet all HACCP requirements.

The Metos MRBS-051-SR has remote cooling and equipped with 5" touch control on the door. There are ready-made programs for both chilling and freezing functions, from gentle to very efficient. In addition to these, the user can store the user's own programs. The display shows the temperature and monitors the progress of the program. The appliance automatically switches to storage mode at the end of the quick cooling process. Inner and outer lining in easy-to-clean stainless steel. Rounded corners and a bottom plug make cleaning easier.

- 6 x GN 1/1-40 or 5 x GN 1/1-65 or 600x400mm baking trays
- 5" touch contol on the door, ergonomic
- save up to 99 programs with the core probe or time
- multi-step rack allows to place the GN1/1 pans at different heights
- internal dimensions 670x430x400mm
- core probe is easy to be replaced by rotating a ring nut
- S/S condenser filter is easy to extract and clean, dishwash safe
- remote cooling
- stainless steel outside and inside internal coating with fully rounded corners
- Die-moulded and leakproof internal base
- Full-length flush ergonomic handle
- HCFC-free high-density polyurethane foam insulation (approx. 42kg/m3))
- Anti-condensation heating element



situated on the body frame

- Magnetic seal on 4 sides of the door
- Left hinged door, which is not reversible
- Highly ventilated evaporator to ensure the cooling system's maximum efficiency
- USB connection for uploading new firmware release and downloading HACCP data
- chilling capacity 30kg/ +90...+3°C/90min, freezing capacity 20kg/+ 90...-18°C/240min
- stated capacities kg/h are nominal, and cannot be achieved with all food products and circumstances
- cooling power 814 W situated on the body frame
- Magnetic seal on 4 sides of the door
- Left hinged door, which is not reversible
- Highly ventilated evaporator to ensure the cooling system's maximum efficiency
- USB connection for uploading new firmware release and downloading HACCP data
- chilling capacity 30kg/ +90...+3°C/90min, freezing capacity 20kg/+ 90...-18°C/240min
- stated capacities kg/h are nominal, and cannot be achieved with all food products and circumstances
- cooling power 814 W



Blast chiller/freezer cabinet Metos MRBS-051-SR Left (Remote)

| | <u> </u> |
|-------------------------------|---------------------|
| Product capacity | 30kg/20kg/+90+3/-18 |
| Capacity | 5 x GN1/1-65 or EN1 |
| Item width mm | 790 |
| Item depth mm | 820 |
| Item height mm | 900 |
| Package volume | 0.878 |
| Unit of volume | m3 |
| Package volume | 0.878 m3 |
| Package length | 89 |
| Package width | 94 |
| Package height | 105 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 89x94x105 cm |
| Net weight | 80 |
| Net weight | 80 kg |
| Gross weight | 120 |
| Package weight | 120 kg |
| Unit of weight | kg |
| Connection power kW | 0.108 |
| Fuse Size A | 6 |
| Connection voltage V | 230 |
| Number of phases | 1NPE |
| Frequency Hz | 50 |
| Protection rating (IP) | IPX4 |
| Type of electrical connection | Plug |
| Cooling capacity W | 814 |
| Condensing temperature °C | +45 |
| Evaporation temperature °C | -25 |
| Type of the refrigerant | R452A/R448A/R449A |
| | |

Blast chiller/freezer cabinet Metos MRBS-051-SR Left (Remote)

| Remarks (refrigeration) | Remote cooling |
|-------------------------|----------------|
| Sound level dB | 70 |
| Cooling unit | Remote cooled |