

Dishwasher Metos Master Aqua 50T 400V3N~

Reliable Metos Master Aqua 50T is a basic under-counter dishwasher designed for using in professional kitchens. It is easy to build around the dishwasher a dishwashing system for a small operation by using compatible tables, trolleys and other fixtures.

Dishwasher with a drain pump Metos Master Aqua 50T PS, can be ordered in cases where the dishwasher cannot be connected to a floor drain. Now the wash water can be discharged into the washing counter sink. Comes with cable, Plug not included.

A detergent dispenser dispenses the detergent for you and keeps the measure of the detergent always constant.

Detergent dispenser for a liquid detergent is available as an option.

- four wash programs (1, 1,5, 2 and 3 minutes)
- max height for dishes 320 mm
- display for correct temperature in tank and in final rinse
- sound and heat insulated top and door
- easy to remove wash and rinse arms
- rounded edges in the tank facilitate cleaning
- water consumption 2,3 l/cycle (water pressure 200kPa)
- rack size 500x500 mm
- boiler capacity 5,7 I
- tank volume 29 l
- touch control panel on top part of the front panel
- Soft start

Delivery includes:

- rinse aid dispenser
- basket for plates
- basket for glasses
- cutlery cylinder
- connection hose for tap water

Optional (to be ordered separately):

- stand
- detergent dispenser
- pressure boosting pump (to be ordered together with the dishwasher)
- extra racks
- pre-wash tables and basket



trolleys trolleys



Dishwasher Metos Master Aqua 50T 400V3N~

Product capacity	a. 20 racks/hour
Item width mm	590
Item depth mm	600
Item height mm	850
Package volume	0.451
Unit of volume	m3
Package volume	0.451 m3
Package length	68
Package width	67
Package height	99
Package unit of dimension	cm
Package dimensions (LxWxH)	68x67x99 cm
Net weight	67
Net weight	67 kg
Gross weight	72
Package weight	72 kg
Unit of weight	kg
Connection power kW	5.15
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Electrical conn. height mm	95
Hot water diam.	3/4"
Hot water flow I/min	10
Hot water conn. height mm	50
Drain diameter	30
Drain flow I/s	3

Dishwasher Metos Master Aqua 50T 400V3N~

Drain conn. height mm	95	
Sound level dB	63	
Operation type	electronical	
Cleaning	washing program	
Washing basket size mm	500x500	
Programmability	ready programs	
Amount of programs	4	
Insulation	uninsulated	
Method of washing	normal wash	
Drain pump	No	
Model	Aqua 50T	