

# Food transport trolley

## Metos Thermobox SF150

The Metos Thermobox SF150 food transport trolley is a flexible solution for simultaneous storage and transportation of hot and cold food. The trolley has two cabinets on top of each other, F-heating on top and underneath it S-neutral. The heating cabinet's hot air fan ensures safe and high-quality conditions for storage and transportation of warm food. The convection heat in the F-model reacts faster than the E-model to temperature changes and it is worth choosing whether e.g. the door is opened repeatedly during storage. The temperature control unit for the heating cabinet is located at the top of the trolley and has a large digital temperature display. The S-cabinet do not have its own heating function or cooling function, so it is only suitable for short-term food storage. The storage time for refrigerated food transports can be extended by using a separate cooling pack inside the neutral cabinet.

The trolley is insulated with polyurethane, which expands under high pressure and unites the trolley's construction and the inner chambers into a strong and well-insulated unit. The trolley's energy-efficient insulation ensures safe and high-quality conditions for storage and transport of food.

The trolley can be used in small spaces. The trolley is easy to clean as its inside is completely made of stainless steel and has pressed GN guides without any joints. Large rubber wheels as well as bumpers and ergonomic handles around the trolley makes the trolley easy to handle and light. The robust doors opens comfortably by pulling the handles, which are



integrated in the trolley frame. The door opens to the side, 270 degrees.

- the capacity is 6xGN1/1(warm),inner dimension: 330x540x510 mm + 4xGN1/1(neutral),inner dimension: 330x540x350 mm, guide distance 80 mm
- the temperature range in the top red cabinet is +40°C...+90°C
- the bottom black cabinet is neutral
- four hot-dip galvanized steel 160mm wheels with rubber tires, two swiveling with brakes and two fixed without brakes
- the wheel bracket is made of hot-dip galvanized steel
- the exterior of the two colored trolley is made of ABS plastic
- stainless steel one-hand grip handle and PVC plastic corner
- the bumper is made of galvanized steel and coated with PVC plastic

Accessories(charged separately):

- truck tow bar
- door with window
- two extra handles
- address card holders A4, A5, A6
- Ø200 mm wheels, two directionally locked and two with brake
- terrain wheels
- black color without extra price, own color, image or logo for extra price
- central brake integrated in the trolley frame. The door opens to the side, 270 degrees.

- the capacity is 6xGN1/1(warm),inner dimension: 330x540x510 mm + 4xGN1/1(neutral),inner dimension: 330x540x350 mm, guide distance 80 mm
- the temperature range in the top red cabinet is +40°C...+90°C
- the bottom black cabinet is neutral
- four hot-dip galvanized steel 160mm wheels with rubber tires, two swiveling with brakes and two fixed without brakes
- the wheel bracket is made of hot-dip galvanized steel
- the exterior of the two colored trolley is made of ABS plastic
- stainless steel one-hand grip handle and PVC plastic corner
- the bumper is made of galvanized steel and coated with PVC plastic

Accessories(charged separately):

- truck tow bar
- door with window
- two extra handles
- address card holders A4, A5, A6
- Ø200 mm wheels, two directionally locked and two with brake
- terrain wheels
- black color without extra price, own color, image or logo for extra price
- central brake

## Food transport trolley Metos Thermobox SF150

Product capacity	6+4 x GN 1/1-65
Capacity	4+6 x GN 1/1-65
Inside measures mm	330x540x350
Item width mm	525
Item depth mm	770
Item height mm	1285
Package volume	0.666
Unit of volume	m3
Package volume	0.666 m3
Package length	58
Package width	82
Package height	140
Package unit of dimension	cm
Package dimensions (LxWxH)	58x82x140 cm
Net weight	62
Net weight	62 kg
Gross weight	63
Package weight	63 kg
Unit of weight	kg
Connection power kW	0.55
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	55
Electrical cable length mm	1500
Type of electrical connection	Plug
Hinge location	right
Cleaning	hand wash
Function	neutral+warm

## Food transport trolley Metos Thermobox SF150

GN size	1/1
Temperature area °C	+40°C...+90°C
Features	30 kg per pair of guides
Rail distance mm	80
Number of chambers	2
Max load kg	90
Color	red&black