

## Cold Basin Metos Drop-In CB 1600

Cold basin GN 4/1, depth 160 mm. Drop-in model without side panels

- structure of the basin totally seamless and all the corners have been rounded for easier cleaning
- there is an outlet valve on the bottom of the basin with hose length of 1  $\ensuremath{\text{m}}$
- basin's edge is 15 mm above the furniture's top plate






## **Cold Basin Metos Drop-In CB 1600**

Product capacity	4 GN 1/1
Item width mm	1600
Item depth mm	650
Item height mm	640
Package volume	0.797
Unit of volume	m3
Package volume	0.797 m3
Package length	165
Package width	70
Package height	69
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x69 cm
Net weight	65
Net weight	65 kg
Gross weight	65
Package weight	65 kg
Unit of weight	kg
Connection power kW	0.33
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	2
Protection rating (IP)	43
Type of electrical connection	Plug
Drain diameter	21/16
Type of the refrigerant	R290
Quantity of refrigerant g	110
Remarks (misc.)	drop-in hole 1550x575 mm

## **Cold Basin Metos Drop-In CB 1600**

Function	cold
GN size	4GN1/1
Power range kW	0.33
Defrosting	automatic





This document may not be copied in part or in whole by any process nor passed on to a third party without the written permission of the owner Metos Oy Ab.