

Dishwasher Metos LUX 60EL PS PAP 230/1N

High-Tech double skin under-counter dishwasher is designed for heavy duty use in professional kitchens and restaurants. The digital control panel is easy to use and its signal lights indicate the different cycles. Diagnostic function supports self-monitoring.

The dishwasher is equipped with a drain pump, in which case the wash water can be discharged into the washing counter sink.

- can be connected for hot or cold water connection
- four wash programs (1, 2, 3 and 5 minutes)
- automatic cleaning program
- max height for dishes 325 mm
- able to wash GN1/1 container
- signal lights indicate the different cycles and temperatures
- diagnostic function ensures a sufficiently high temperature in the final rinse
- rounded edges in the tank facilitate cleaning
- easy to remove wash arm
- water consumption 2,3 l/cycle (water pressure 200kPa)
- acoustic and thermal insulation keeps the noise level and the surface temperature low
- rack size 500x500 mm
- tank volume 16,5 l

Delivery includes:

- detergent dispenser
- rinse aid dispenser
- basket for plates
- basket for glasses
- cutlery cylinder
- connection hose for tap water
- soft start: progressive start of the wash pump
- drain pump
- booster pupm

Optional (to be ordered separately):

- stand
- steel reinforced hose
- extra racks
- pre-wash tables and basket trolleys





Dishwasher Metos LUX 60EL PS PAP 230/1N

| Item width mm | 600 | |
|-------------------------------|-------------|--|
| Item depth mm | 610 | |
| Item height mm | 850 | |
| Package volume | 0.451 | |
| Unit of volume | m3 | |
| Package volume | 0.451 m3 | |
| Package length | 68 | |
| Package width | 67 | |
| Package height | 99 | |
| Package unit of dimension | cm | |
| Package dimensions (LxWxH) | 68x67x99 cm | |
| Net weight | 63.5 | |
| Net weight | 63.5 kg | |
| Gross weight | 70 | |
| Package weight | 70 kg | |
| Unit of weight | kg | |
| Connection power kW | 3.5 | |
| Fuse Size A | 16 | |
| Connection voltage V | 230 | |
| Number of phases | 1NPE | |
| Frequency Hz | 50 | |
| Type of electrical connection | Semifixed | |
| Electrical conn. height mm | 45 | |
| Cold water conn. height mm | 65 | |
| Hot water diam. | 3/4" | |
| Hot water flow I/min | 10 | |
| Hot water conn. height mm | 45 | |
| Drain diameter | 24 | |
| Drain flow I/s | 3 | |
| | | |

Dishwasher Metos LUX 60EL PS PAP 230/1N

| Drain conn. height mm | 65 | | |
|------------------------|-----------------------------|--|--|
| Sound level dB | 62 | | |
| Boiler power kW | 2.8 | | |
| Boiler volume L | 5.7 | | |
| Power type | electric | | |
| Operation type | electronical | | |
| Cleaning | washing program | | |
| Washing basket size mm | 500x500 | | |
| Programmability | ready programs;programmable | | |
| Amount of programs | 4 | | |
| Insulation | insulated | | |
| Method of washing | normal wash;glass wash | | |
| Drain pump | Yes | | |